



SPS TECHNOLOGIES - ABINGTON PA DAILY SURFACE WATER AND OUTFALL SAMPLING RESULTS REPORT FOR MARCH 17, 2025

PREPARED FOR:
SPS TECHNOLOGIES

PREPARED BY:
TRC ENVIRONMENTAL CORPORATION, INC
1617 JFK BOULEVARD, SUITE 510
PHILADELPHIA, PA 19103

MARCH 20, 2025

TABLE OF CONTENTS

	Page No.
1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION	4
2.1 BACKGROUND.....	4
3.0 OFF-SITE SURFACE WATER INVESTIGATION.....	5
3.1 SURFACE WATER, OUTFALL AND SHEET FLOW SAMPLING METHODOLOGY	5
3.2 SURFACE WATER, OUTFALL AND SHEET FLOW SAMPLING.....	5
3.3 SURFACE WATER SAMPLING RESULTS	5
4.0 DATA QUALITY ASSURANCE/QUALITY CONTROL MANAGEMENT.....	7
4.1 FIELD QUALITY ASSURANCE/QUALITY CONTROL REQUIREMENTS.	7
4.2 ANALYTICAL QA/QC SAMPLES	7
4.3 DATA EVALUATION	7
4.4 REFERENCES	7

Figures

- Figure 1: On-Site Investigation Surface Water, Outfall, and Sheet Flow Sampling Locations
Figure 2: Off-Site Investigation Surface Water Locations

Table

- Table 1: Surface Water Analytical Results
Table 2: Outfall and Sheet Flow Analytical Results

Appendices

- Appendix A: Surface Water and Outfall/Sheet Flow Field Information Forms
Appendix B: Data Validation Reports
Appendix C: Laboratory Analytical Reports

1.0 EXECUTIVE SUMMARY

TRC Environmental Corporation, on behalf of SPS Technologies Abington PA (SPS), collected five surface water samples, two outfall samples and one sheet flow surface water sample accordance with WSP USA Inc. Surface Water and Outfall Sampling Plan revised on March 5, 2025 (Sampling Plan). The samples were collected on March 17, 2025 and submitted to a Pennsylvania-certified analytical laboratory for analysis. The sample locations are shown in the attached **Figures 1 and 2** and the results of the analysis are shown below.

Surface Water		Upstream Offsite SW Sample Location 1	Upstream Offsite SW Sample Location 2	SW Sample Location 3	SW Sample Location 3 (Duplicate)	High School Road Sample Location 4	Downstream SW Sample Location 5
Parameter	Units	Result	Result	Result	Result	Result	Result
Volatile Organic Compounds							
Toluene	mg/L	ND	ND	ND	ND	ND	ND
2-Butanone (MEK)	mg/L	ND	ND	ND	ND	ND	ND
General Chemistry							
Chromium, Trivalent	mg/L	ND	ND	ND	ND	ND	ND
Chromium, Hexavalent	mg/L	ND	0.007 J	ND	0.008 J	ND	ND
Total Cyanide	mg/L	0.003 J	0.002 J	0.002 J	0.003 J	0.003 J	0.003 J
Free Cyanide	mg/L	0.006 J	ND	ND	0.005 J	0.004 J	0.004 J
Oil & Grease	mg/L	ND	ND	ND	ND	ND	ND
Total Metals							
Total Chromium	mg/L	0.00114	0.00060 J	0.00064 J	0.00071 J	0.00065 J	0.00081 J
Total Nickel	mg/L	0.00559	0.00109 J	0.00133 J	0.00132 J	0.00113 J	0.00108 J
Dissolved Metals							
Dissolved Chromium	mg/L	0.0007 J	0.0004 J	0.0004 J	0.0004 J	0.0004 J	0.0005 J
Dissolved Nickel	mg/L	0.0048 J+	ND	ND	ND	0.0107 J	ND
Total Hardness							
Hardness	mg/L	155.7	148.1	149.5	147.4	69.88	43.04
Field Parameters							
pH	SU	7.87	7.85	7.75	7.75	7.31	6.98

Outfall and Sheet Flow		Outfall 006	Outfall 009	Outfall 009 (Duplicate)	Sheet Flow
Parameter	Units	Result	Result	Result	Result
Volatile Organic Compounds					
Toluene	mg/L	ND	ND	ND	ND
2-Butanone (MEK)	mg/L	ND	0.0012 J	0.0016 J	ND
General Chemistry					
Chromium, Trivalent	mg/L	ND	0.004 J	0.007 J	ND
Chromium, Hexavalent	mg/L	0.005 J	0.009 J	0.005 J	0.008 J
Total Cyanide	mg/L	0.002 J	0.004 J	0.001 J	0.003 J
Free Cyanide	mg/L	ND	0.004 J	ND	ND
Oil & Grease	mg/L	ND	ND	ND	ND
Total Suspended Solids	mg/L	ND	5.4	7.5	ND
Nitrate/Nitrite as Nitrogen	mg/L	1.5	0.54	0.51	0.41
Chemical Oxygen Demand	mg/L	17 J	23 J+	27 J+	25 J+
Total Metals					
Total Aluminum	mg/L	0.3957	0.1728	0.1579	0.06666
Total Chromium	mg/L	0.00141	0.01351	0.01245	0.00124
Total Copper	mg/L	0.00868	0.00965	0.00902	0.00545
Total Iron	mg/L	0.7085	0.3937	0.3676	0.1758
Total Lead	mg/L	0.00662	0.00541	0.00496	0.00245
Total Nickel	mg/L	0.00227	0.00338	0.00365	0.00180 J
Total Zinc	mg/L	0.04276	0.1999	0.1978	0.03190
Dissolved Metals					
Dissolved Chromium	mg/L	0.0005 J	0.0102	0.0101	0.0024
Dissolved Nickel	mg/L	ND	0.0029 J+	0.0028 J+	ND
Total Hardness					
Hardness	mg/L	118.2	51.80	48.13	162.2
Field Parameters					
pH	SU	6.91	6.99	6.99	6.28

A detailed description of the sampling procedure, results, and data evaluation are included in this Sampling Report. The laboratory data validation reports and the complete laboratory analytical reports, including Quality Assurance/Quality Control (QA/QC) are attached.

2.0 INTRODUCTION

This Daily Surface Water and Outfall Sampling Results Report for March 17, 2025 (Sampling Report) was prepared by TRC Environmental Corporation, Inc., (TRC) on behalf of SPS Technologies Abington PA (SPS). The SPS facility is located at 301 Highland Avenue, Jenkintown, PA 19046 (Site). This Sampling Report was prepared to provide the off-Site surface water, outfall, and sheet flow surface water sampling results from March 17, 2025, which were collected in accordance with WSP USA Inc. Surface Water and Outfall Sampling Plan revised on March 5, 2025.

2.1 Background

The Site is currently owned by SPS Technologies. On February 17, 2025, a fire broke out at the facility causing major damage and a cessation of operation. Prior to the fire, facility operations consisted of manufacturing of bolts, nuts, screws, rivets, washers, furniture, and fixtures.

3.0 OFF-SITE SURFACE WATER INVESTIGATION

TRC collected five surface water samples at the approved upstream and downstream sampling locations along the Tookany and Tacony Creeks on March 17, 2025. The locations are located northeast and west from the facility, and downstream from the conjoined stream south from the facility. TRC collected two outfall samples and one sheet flow sample during this event as a result of the precipitation on March 17, 2025.

3.1 Surface Water, Outfall and Sheet Flow Sampling Methodology

TRC collected the surface water, outfall and sheet flow samples in accordance with the Sampling Plan. Field data collected from each location during the sampling include:

- Water depth
- Weather conditions
- Physical characteristics (clarity, appearance, odor)
- Water Quality (DO, pH, OPR, turbidity, conductivity, and temperature)
- Water velocity (visibly moving)
- Additional observations (e.g. wildlife sightings)

The field data is documented in the daily field sampling forms included as **Appendix A**, except for the in-field pH measurement, which is summarized in **Table 1** for surface water samples and in **Table 2** for outfall and sheet flow samples.

3.2 Surface Water, Outfall and Sheet Flow Sampling

All samples were submitted to Pace Analytical in Westborough, Massachusetts (Certification No. 68-03671) and Pace Analytical in Mansfield, Massachusetts (Certification No. 68-02089), following chain-of-custody protocols.

3.3 Surface Water Sampling Results

Surface water samples were collected from the five approved locations in accordance with Sampling Plan for the following parameters:

- Oil & Grease
- Free Cyanide
- Total Cyanide
- Total Nickel
- Dissolved Nickel
- Total Chromium
- Dissolved Chromium
- Hexavalent Chromium (calculated for Trivalent Chromium)
- Methyl ethyl ketone (2-Butanone)
- Toluene

- Total Hardness

The validated analytical results from surface water sampling are summarized in **Table 1**. The sampling locations are shown on **Figures 1** and **2**.

Outfall samples were collected from two approved locations and one sheet flow sample was collected in accordance with Sampling Plan for the following parameters:

- Chemical Oxygen Demand
- Total Suspended Solids
- Nitrate-Nitrite as N
- Hexavalent Chromium (calculated for Trivalent Chromium)
- Total Aluminum
- Total Copper
- Total Iron
- Total Lead
- Total Zinc
- Oil & Grease
- Free Cyanide
- Total Cyanide
- Total Nickel
- Dissolved Nickel
- Total Chromium
- Dissolved Chromium
- Methyl ethyl ketone (2-Butanone)
- Toluene
- Hardness

The validated analytical results from outfall and sheet flow sampling are summarized in **Table 2**. The sampling locations are shown on **Figure 1**.

4.0 DATA QUALITY ASSURANCE/QUALITY CONTROL MANAGEMENT

4.1 Field Quality Assurance/Quality Control Requirements.

Field personnel performed data quality control (QC) verification of field measurements. This process includes equipment calibration, reviewing calibration records, and duplicate readings to ensure data accuracy. Field measurements were documented in the field information forms included as **Appendix A** and pH readings are summarized in **Table 1** and **Table 2**.

All hand equipment used during the sampling event was cleaned with Alconox and distilled water. Disposable equipment was used for sample collection and processing as appropriate. Field personnel wore disposable nitrile sampling gloves during sampling activities. Sampling gloves were discarded following collection at each sample location and replaced before handling decontaminated equipment or work surfaces.

4.2 Analytical QA/QC Samples

All quality assurance and quality control (QA/QC), field duplicates and matrix spikes/matrix spike duplicates (MS/MSD) were collected in accordance with the Sampling Plan at a rate of 1 per 20 samples per day. A trip blank was included daily for volatile organic compounds (VOCs). A field blank was not collected because single-use disposable ladles were used to collect samples.

4.3 Data Evaluation

The reliability of the analytical data was evaluated to assess its suitability for use in off-Site surface water monitoring. In particular, the data's precision, accuracy, and sensitivity were evaluated based on field sampling documentation, adherence to sample holding times, and analysis of the QC samples (duplicates, spikes, and blanks). Data validation was performed in accordance with the Sampling Plan. The data validation reports are included as **Appendix B**. The laboratory analytical reports are included as **Appendix C**.

4.4 References

- SPS Technologies Sampling Plan, revised on March 5, 2025



<div>SOURCE</div> <div>NEARMAP IMAGERY, JUNE 16, 2024.</div> <div>LEGEND</div> <div>SW = SURFACE WATER</div> <div><div></div> SURFACE WATER SAMPLE LOCATION</div> <div><div></div> APPROXIMATE OUTFALL SAMPLE LOCATION</div>	<div><div><div><div></div></div></div><div>WSP USA Inc. 751 Arbor Way, Suite 180 Blue Bell, PA 19422</div><div>Tel. 610-828-8100 www.wsp.com</div></div>	CLIENT	PROJECT	<div>PROJECT NO.: US0043268.2150</div> <div>REVISION NO.: 0</div> <div>DATE: FEBRUARY 2025</div>	
	<div>PROJECTION / DATUM: PA83-SF</div>	<div>PREPARED BY: PJC</div>	TITLE	<div>ON-SITE INVESTIGATION SURFACE WATER AND OUTFALL SAMPLE LOCATIONS</div>	<div>FIGURE NO.: 1</div>
	<div><div><div>0150'300'</div><div></div></div><div>SCALE: 1" = 300'</div></div>	<div>CHECKED BY: KM</div>			
		<div>REVIEWED BY: TK</div>			

C:\Users\USPC714485\OneDrive - WSP\0366\Documents\TEMP_SPS\03 SW-Outlet Sampling\Fig 1-2 SW-Outlet Sample Locations.dwg Tue, 25 Feb 2025 - 4:03pm USPC714485 Layout: Fig 1 On-Site SW-Outlet Sample Locations

C:\Users\USPC714485\OneDrive - WSP\0365\Documents\TEMP_SPS\03 SW-Outfall Sampling\Fig 1-2 SW-Outfall Sample Locations.dwg Tue, 25 Feb 2025 - 4:05pm USPC714485 Layout: Fig 2 Off-Site SW Sample Locations



SOURCE
GEOMAP IMAGERY, 2025.

LEGEND
SW = SURFACE WATER
● SURFACE WATER SAMPLE LOCATION

<div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div><div><div><div>WSP</div><div>USA Inc.</div><div>751 Arbor Way, Suite 180</div><div>Blue Bell, PA 19422</div></div><div><div>Tel. 610-828-8100</div><div>www.wsp.com</div></div></div></div><div><div>PROJECTION / DATUM:</div><div>PA83-SF</div></div><div><div>0</div><div>1,500'</div><div>3,000'</div></div><div><div>SCALE: 1" = 3,000'</div></div></div>		CLIENT	PROJECT SURFACE WATER AND OUTFALL SAMPLING PLAN	PROJECT NO.: US0043268.2150
				REVISION NO.: 0
PREPARED BY: PJC		TITLE OFF-SITE INVESTIGATION SURFACE WATER SAMPLE LOCATIONS	DATE: FEBRUARY 2025	
CHECKED BY: KM			FIGURE NO.: 2	
REVIEWED BY: TK				

March 2025

Table 1

Surface Water Analytical Results
Daily Surface Water Sampling Results Report SPS Technologies
Jenkintown, Pennsylvania

Project Number: 658978

Sample Location		Upstream Offsite SW Sample Location 1			Upstream Offsite SW Sample Location 2			SW Sample Location 3			SW Sample Location 3 (Duplicate)			High School Road Sample Location 4			Downstream SW Sample Location 5		
Field Sample ID	Lab Sample ID	SW2-031725			SW1-031725			SW3-031725			DUP-02-031725			SW4-031725			SW5-031725		
Sampling Date	Matrix	L2515277-02			L2515277-01			L2515277-03			L2515277-06			L2515277-04			L2515277-05		
		3/17/2025			3/17/2025			3/17/2025			3/17/2025			3/17/2025			3/17/2025		
		Water			Water			Water			Water			Water			Water		
Parameter	Units	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
Volatile Organic Compounds																			
Toluene	mg/L	ND		0.0010	ND		0.0010	ND		0.0010	ND		0.0010	ND		0.0010	ND		0.0010
2-Butanone (MEK)	mg/L	ND		0.010	ND		0.010	ND		0.010	ND		0.010	ND		0.010	ND		0.010
General Chemistry																			
Chromium, Trivalent	mg/L	ND		0.010	ND		0.010	ND		0.010	ND		0.010	ND		0.010	ND		0.010
Chromium, Hexavalent	mg/L	ND		0.010	0.007	J	0.010	ND		0.010	0.008	J	0.010	ND		0.010	ND		0.010
Total Cyanide	mg/L	0.003	J	0.005	0.002	J	0.005	0.002	J	0.005	0.003	J	0.005	0.003	J	0.005	0.003	J	0.005
Free Cyanide	mg/L	0.006	J	0.010	ND		0.010	ND		0.010	0.005	J	0.010	0.004	J	0.010	0.004	J	0.010
Oil & Grease	mg/L	ND		4.0	ND		4.0	ND		4.0	ND		4.0	ND		4.0	ND		4.0
Total Metals																			
Total Chromium	mg/L	0.00114		0.00100	0.00060	J	0.00100	0.00064	J	0.00100	0.00071	J	0.00100	0.00065	J	0.00100	0.00081	J	0.00100
Total Nickel	mg/L	0.00559		0.00200	0.00109	J	0.00200	0.00133	J	0.00200	0.00132	J	0.00200	0.00113	J	0.00200	0.00108	J	0.00200
Dissolved Metals																			
Dissolved Chromium	mg/L	0.0007	J	0.0010	0.0004	J	0.0010	0.0004	J	0.0010	0.0004	J	0.0010	0.0004	J	0.0010	0.0005	J	0.0010
Dissolved Nickel	mg/L	0.0048	J+	0.0020	ND		0.0020	ND		0.0020	ND		0.0020	0.0107	J	0.0020	ND		0.0020
Total Hardness																			
Hardness	mg/L	155.7		0.5400	148.1		0.5400	149.5		0.5400	147.4		0.5400	69.88		0.5400	43.04		0.5400
Field Parameters																			
pH ¹	SU	7.87			7.85			7.75			7.75			7.31			6.98		

Notes:

1.) Field measurements for pH were performed by TRC field personnel prior to sample collection using a Horiba U-52. Field measurements were not validated.

Abbreviations:

mg/L: milligrams per liter

ND: Non-Detect

Q: Qualifier

RL: Reporting Limit

SU: Standard Units

Qualifiers:

J - Estimated Result

J+ - Estimated Result, Potential High Bias

Created By: JM 3/19/2025 Checked By: MO 3/19/2025

March 2025

Table 2

Surface Water Analytical Results
Daily Outfall and Sheet Flow Sampling Results Report SPS Technologies
Jenkintown, Pennsylvania

Project Number: 658978

Sample Location Field Sample ID Lab Sample ID Sampling Date Matrix	Units	Outfall 006			Outfall 009			Outfall 009 (Duplicate)			Sheet Flow		
		OUTFALL 6			Outfall 9-031725			DUP-01-031725			SF1-031725		
		L2515278-03			L2515278-01			L2515278-04			L2515278-02		
		3/17/2025			3/17/2025			3/17/2025			3/17/2025		
		Water			Water			Water			Water		
Parameter	Units	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
Volatile Organic													
Toluene	mg/L	ND		0.0010	ND		0.0010	ND		0.0010	ND		0.0010
2-Butanone (MEK)	mg/L	ND		0.010	0.0012	J	0.010	0.0016	J	0.010	ND		0.010
General Chemistry													
Chromium, Trivalent	mg/L	ND		0.010	0.004	J	0.010	0.007	J	0.010	ND		0.010
Chromium, Hexavalent	mg/L	0.005	J	0.010	0.009	J	0.010	0.005	J	0.010	0.008	J	0.010
Total Cyanide	mg/L	0.002	J	0.005	0.004	J	0.005	0.001	J	0.005	0.003	J	0.005
Free Cyanide	mg/L	ND		0.010	0.004	J	0.010	ND		0.010	ND		0.010
Oil & Grease	mg/L	ND		4.0	ND		4.0	ND		4.0	ND		4.0
Total Suspended Solids	mg/L	ND		5.0	5.4		5.0	7.5		5.0	ND		5.0
Nitrate/Nitrite as Nitrogen	mg/L	1.5		0.10	0.54		0.10	0.51		0.10	0.41		0.10
Chemical Oxygen Demand	mg/L	17	J	20	23	J+	20	27	J+	20	25	J+	20
Total Metals													
Total Aluminum	mg/L	0.3957		0.01000	0.1728		0.01000	0.1579		0.01000	0.06666		0.01000
Total Chromium	mg/L	0.00141		0.00100	0.01351		0.00100	0.01245		0.00100	0.00124		0.00100
Total Copper	mg/L	0.00868		0.00100	0.00965		0.00100	0.00902		0.00100	0.00545		0.00100
Total Iron	mg/L	0.7085		0.05000	0.3937		0.05000	0.3676		0.05000	0.1758		0.05000
Total Lead	mg/L	0.00662		0.00100	0.00541		0.00100	0.00496		0.00100	0.00245		0.00100
Total Nickel	mg/L	0.00227		0.00200	0.00338		0.00200	0.00365		0.00200	0.00180	J	0.00200
Total Zinc	mg/L	0.04276		0.00500	0.1999		0.00500	0.1978		0.00500	0.03190		0.00500
Dissolved Metals													
Dissolved Chromium	mg/L	0.0005	J	0.0010	0.0102		0.0010	0.0101		0.0010	0.0024		0.0010
Dissolved Nickel	mg/L	ND		0.0020	0.0029	J+	0.0020	0.0028	J+	0.0020	ND		0.0020
Total Hardness													
Hardness	mg/L	118.2		0.5400	51.80		0.5400	48.13		0.5400	162.2		0.5400
Field Parameters													
pH ¹	SU	6.91			6.99			6.99			6.28		

Notes:

1.) Field measurements for pH were performed by TRC field personnel prior to sample collection using a Horiba U-52. Field measurements were not validated.

Abbreviations:

mg/L: milligrams per liter

ND: Non-Detect

Q: Qualifier

RL: Reporting Limit

SU: Standard Units

Qualifiers:

J - Estimated Result

J+ - Estimated Result, Potential High Bias

Created By: JM 3/19/2025 Checked By: MO 3/20/2025

Date:

3/17/2025

Project Number:

658978

SURFACE WATER SAMPLE FIELD INFORMATION FORM

Site: SPS
 Location: Abington PA
 Project Number: 658978
 Water Quality Meter: Hanna U-50 S/N: U110312X
 Meter Calibrated On: 9/17/2025 @ 0705
 Flow Meter: OTT MP DP S/N: 336387
 Sampling Date/Time: SW5 @ 1205 SW4 @ 1305
SW1 @ 1335 SW2 @ 1410 SW3 @ 1445
 Sample(s): James Swales, Chris Graham
 Sampling Device: Telescopic Dipper pole
 Sample Characteristics: slightly turbid brown
 Analytical Parameters:

Additional Notes:

SW5 - Collect 15/150
SW3 - Collect Dip-02-031725 (17:45)
Sheep observed at SW3, Downy place
Geese observed @ SW2
Mallows observed @ SW1

PHD 0.0 at all locations

Weather Conditions:

Cloudy/Rain H62 L39 Wind 5 mph NW

SAMPLE / STATION	STATION DESCRIPTION (stream, lake, river)	DATE	TIME	TOTAL DEPTH	SAMPLE DEPTH	WATER TEMP	SALINITY	pH	COND	ORP	TURBIDITY	DO	VELOCITY
		MM/DD/YY	HH:MM	inches		Celsius	ppt	SW	uS/cm	mV	NTU	mg/L	ft/sec
SW5-031725	Creek	03/17/25	1205	14	7	14.12	0.2	6.98	0.523	268	21.6	6.73	1.223
Sample Characteristics:		slightly turbid light brown no odor											
SW4-031725	Creek	03/17/25	1305	52	26	14.30	0.2	7.31	0.413	256	15.2	7.54	0.159
Sample Characteristics:		slightly turbid light brown											
SW1-031725	Creek	03/17/25	1335	9	4.5	14.27	0.3	7.85	0.687	248	6.0	10.18	0.536
Sample Characteristics:		clear brown tint no odor											
SW2-031725	Creek	03/17/25	1410	18.5	9.25	14.85	0.4	7.87	0.860	239	31.8	7.90	0.205
Sample Characteristics:		brown / yellow, no odor											
SW3-031725	Creek	03/17/25	1445	31.5	16	14.76	0.3	7.75	0.700	275	9.4	8.73	0.135
Sample Characteristics:		clear, brown tint, no odor											
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics													

3/17/25

658978

SURFACE WATER SAMPLE FIELD INFORMATION FORM

Site: Abington PA SPS
 Location: Abington PA
 Project Number: 658978
 Water Quality Meter: Horiba U-50 S/N: 0705
 Meter Calibrated @: 3/17/2025
 Flow Meter: 0.1 MF pro S/N: 336287
 Sampling Date/Time: Oct 11 9 @
 Sampler(s): J. Soule's C Graham
 Sampling Device: Dipper pole
 Sample Characteristics: slightly turbid brown, no odor
 Analytical Parameters:

Additional Notes

Additional Notes

- *Unable to sample outfall 2 due to pressure wash/vac truck occurring around outfall
- *Resample outfall 9 in order to collect Dup-01, unable to collect Dup on outfall 2. outfall 9 @ 0800
Not submitted to lab
SF-1 = Street flow sample
- outfall 6 - Collect MS/MSD
- Outfall 9 - Collect Dup-01 - 031725

Would Her Candidates

Cloudy / Rain H 62 L 39 Wind 5 mph NW

[illegible]

Data Validation Report

Site: SPS Technologies, Surface Water Sampling
Laboratory: Pace Analytical, Westborough and Mansfield, MA
SDG No.: L2515277 (Revised 03/19/2025)
Parameters: Select Volatile Organic Compounds (VOCs), Select Metals, Hardness, Total Cyanide, Free Cyanide, Oil & Grease, Hexavalent Chromium, Trivalent Chromium
Data Reviewer: Jessica Esser/TRC
Peer Reviewer: Kristen Morin/TRC
Date: March 18, 2025

Samples Reviewed and Evaluation Summary

6 Surface Water Samples: SW1-031725, SW2-031725, SW3-031725, SW4-031725, SW5-031725, DUP-02-031725¹

1 Trip Blank: TBSW-031725

¹Field duplicate of SW3-031725

The above-listed samples were collected on March 17, 2025 and were analyzed for one or more of the following parameters.

- Select VOCs (toluene, 2-butanone) using EPA Method 624.1
- Select total and dissolved metals (chromium, nickel) using EPA Method 200.8
- Total hardness (by calculation) using EPA Method 200.8
- Total cyanide using Standard Methods (SM) 4500 CN-CE
- Free cyanide using SM 4500 CN-E (M)
- Oil and grease using EPA Method 1664B
- Hexavalent chromium using SM 3500 CR-B
- Trivalent chromium by calculation

Limited data validation was performed in accordance with *USEPA National Functional Guidelines for Organic Superfund Methods Data Review (EPA-540-R-20-005)*, November 2020 and *USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (EPA-542-R-20-006)*, November 2020, modified for the methodologies utilized.

The data were evaluated based on the following parameters:

- Overall Evaluation of Data and Potential Usability Issues
- Data Completeness
- * • Holding Times and Sample Preservation
- Blanks
- * • Surrogate Recoveries (VOCs only)
- * • Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results
- * • Laboratory Duplicate Results
- * • Laboratory Control Sample (LCS) Results
- * • Field Duplicate Results
- Sample Results and Reported Quantitation Limits (QLs)
- * - All criteria were met.

Overall Evaluation of Data and Potential Usability Issues

All results are usable for project objectives. Qualifications applied to the data as a result of sampling error are discussed below.

- The results for dissolved and total nickel in sample SW4-031725 were qualified as estimated (J) due to the dissolved concentration being significantly higher than the total concentration. These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.

Qualifications applied to the data as a result of analytical error are discussed below.

- Potential uncertainty exists for select metals, total cyanide, free cyanide, and hexavalent chromium results that were below the lowest calibration standard and QL. These results were qualified as estimated (J) by the laboratory in the associated samples. These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.
- The positive results for dissolved nickel were qualified as nondetect (U) in samples SW1-031725, SW3-031725, SW5-031725, and DUP-02-031725 due to method blank contamination. These results can be used for project objectives as nondetects, which should not have an impact on the data usability.
- The positive result for dissolved nickel was qualified as estimated with a potential high bias (J+) in sample SW2-031725 due to method blank contamination. This result can be used for project objectives as an estimated value, which may have a minor impact on the data usability.

Data Completeness

The revised data package was a complete Level 2 data package. The field duplicate sample collection time was listed on the chain-of-custody (COC) as 17:45. The laboratory logged this sample in with a collection time of 00:00 per request from TRC. It should also be noted that the date of collection for the trip blank was listed as 3/15/25 on the COC. For purposes of this assessment, it was assumed the date of collection was the same as the associated samples.

Holding Times and Sample Preservation

All holding time and preservation criteria were met for all parameters. The laboratory noted in the Container Comments that one bottle for the oil and grease analysis of sample SW4-031725 was received with a cracked cap. The note indicated that the sample was intact, and a second container was received for the oil and grease analysis of this sample, so no validation action was taken on this basis.

Blanks

Target VOCs were not detected in the trip blank. A field blank was not submitted with the data set. With the exception of dissolved nickel, target analytes were not detected in the associated laboratory method blanks. Dissolved nickel was detected in the laboratory method blank associated with all samples in this data set at a concentration of 0.0008 J mg/L. The positive results for dissolved nickel in samples SW1-031725, SW3-031725, SW5-031725, and DUP-02-031725 were qualified as

nondetect (U) at the QL since the results were < the QL. The positive result for dissolved nickel in sample SW2-031725 was qualified as estimated with a potential high bias (J+) since the result was \geq the QL but < 10x the amount detected in the method blank. No qualification was required for sample SW4-031725 since the result was \geq the QL and \geq 10x the amount detected in the method blank.

Surrogate Recoveries (VOCs only)

All criteria were met.

MS/MSD Results

MS/MSD analyses were performed on sample SW5-031725 for VOCs, total and dissolved metals, hardness, total cyanide, free cyanide, oil and grease, and hexavalent chromium. All criteria were met.

Laboratory Duplicate Results

Laboratory duplicate analyses were performed on sample SW5-031725 for total cyanide, free cyanide, oil and grease, and hexavalent chromium. All criteria were met.

LCS Results

All criteria were met for all parameters.

Field Duplicate Results

Samples SW3-031725 and DUP-02-031725 were submitted as the field duplicate pair with this sample set. The following table summarizes the relative percent differences (RPDs) and/or absolute differences (AbsDs), where applicable, of the detected analytes after validation. The QL was used in the calculation of the AbsD for nondetect (ND) results. All criteria were met.

Analyte	QLs (mg/L)	SW3-031725 (mg/L)	DUP-02-031725 (mg/L)	RPD (%) or AbsD (mg/L)	Validation Action
Total Chromium	0.001	0.00064 J	0.00071 J	AbsD = 0.00007	None; all criteria were met.
Total Nickel	0.002	0.00133 J	0.00132 J	AbsD = 0.00001	
Hardness	0.54	149.5	147.4	RPD = 1.4	
Dissolved Chromium	0.001	0.0004 J	0.0004 J	AbsD = 0	
Total Cyanide	0.005	0.002 J	0.003 J	AbsD = 0.001	
Free Cyanide	0.010	ND	0.005 J	AbsD = 0.005	
Hexavalent Chromium	0.010	ND	0.008 J	AbsD = 0.002	

Field duplicate criteria are as follows:

- $RPD \leq 30$ when positive results for both samples are $\geq 5x$ QL
- $AbsD \leq QL$ when one or both results are < 5x QL

Sample Results and Reported Quantitation Limits

Select metals, total cyanide, free cyanide, and hexavalent chromium results were reported that were below the lowest calibration standard level and QL. These results were qualified as estimated (J) in the associated samples by the laboratory.

There were no dilutions performed on the samples in this data set.

The total and dissolved metal results were evaluated during data validation to identify any dissolved concentrations that were significantly higher than the associated total concentration. The evaluation was based on the following criteria to determine significance: percent difference (%D) should be $\leq 20\%$ when dissolved results are greater than total results and both results are $\geq 5x$ the QL. If the dissolved result was $>$ the total and one or both results were $< 5x$ the QL, then the AbsD should be $\leq 2x$ the QL. With the exception of nickel, these criteria were met for all samples. The result for dissolved nickel in sample SW4-031725 (0.0107 mg/L) was $>5x$ the QL and was higher than the associated total concentration (0.00113 J mg/L) which was $<5x$ the QL; the AbsD (0.00957 mg/L) between the results was $>2x$ the QL (0.00400 mg/L). Therefore, the positive results for total and dissolved nickel were qualified as estimated (J) in this sample.

QUALIFIED FORM 1s

VOLATILES

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-01
 Client ID: SW1-031725
 Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 13:35
 Date Received: 03/17/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/18/25 10:53
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	81		60-140
Fluorobenzene	74		60-140
4-Bromofluorobenzene	116		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-02
Client ID: SW2-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:10
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 11:25
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	78		60-140
Fluorobenzene	75		60-140
4-Bromofluorobenzene	113		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-03
 Client ID: SW3-031725
 Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:45
 Date Received: 03/17/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/18/25 11:57
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	76		60-140
Fluorobenzene	73		60-140
4-Bromofluorobenzene	114		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-04
 Client ID: SW4-031725
 Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 13:05
 Date Received: 03/17/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/18/25 12:30
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	77		60-140
Fluorobenzene	73		60-140
4-Bromofluorobenzene	114		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-05
 Client ID: SW5-031725
 Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 12:05
 Date Received: 03/17/25
 Field Prep: Refer to COC

Sample Depth:
 Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/18/25 13:04
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	75		60-140
Fluorobenzene	72		60-140
4-Bromofluorobenzene	111		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-06
Client ID: TBSW-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/15/25 00:00
Date Received: 03/17/25
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 10:21
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	79		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	113		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-07
Client ID: DUP-02-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 00:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 13:36
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	75		60-140
Fluorobenzene	72		60-140
4-Bromofluorobenzene	114		60-140

METALS

Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-01

Date Collected: 03/17/25 13:35

Client ID: SW1-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00060	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:29	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00109	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:29	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	148.1		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:29	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:29	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:07	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0011 ND	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:07	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-02
 Client ID: SW2-031725
 Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:10
 Date Received: 03/17/25
 Field Prep: Refer to COC

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00114		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:34	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00559		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:34	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	155.7		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:34	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:34	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0007	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:12	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0048	J+	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:12	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-03

Date Collected: 03/17/25 14:45

Client ID: SW3-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00064	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:49	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00133	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:49	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	149.5		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:49	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:49	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:31	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0011 ND	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:31	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-04

Date Collected: 03/17/25 13:05

Client ID: SW4-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00065	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:54	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00113	J J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:54	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	69.88		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:54	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:54	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:35	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0107	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:35	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-05

Date Collected: 03/17/25 12:05

Client ID: SW5-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00081	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:03	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00108	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:03	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	43.04		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:03	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:03	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0005	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 14:41	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0009 ND	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 14:41	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-07

Date Collected: 03/17/25 00:00

Client ID: DUP-02-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00071	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:58	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00132	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:58	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	147.4		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:58	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:58	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:40	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0012 ND	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:40	EPA 3005A	3,200.8	NTB



INORGANICS & MISCELLANEOUS

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-01
Client ID: SW1-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 13:35
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.002	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 13:59	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 11:42	140,1664B	TPR
Chromium, Hexavalent	0.007	J	mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:37	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-02
Client ID: SW2-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:10
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:00	121,4500CN-CE	JER
Cyanide, Free	0.006	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 11:44	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:38	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-03

Client ID: SW3-031725

Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:45

Date Received: 03/17/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.002	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:01	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:24	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:39	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-04
Client ID: SW4-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 13:05
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:04	121,4500CN-CE	JER
Cyanide, Free	0.004	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:25	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:40	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-05

Client ID: SW5-031725

Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 12:05

Date Received: 03/17/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:05	121,4500CN-CE	JER
Cyanide, Free	0.004	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 10:05	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:41	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-07
Client ID: DUP-02-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 00:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:09	121,4500CN-CE	JER
Cyanide, Free	0.005	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:26	140,1664B	TPR
Chromium, Hexavalent	0.008	J	mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:44	121,3500CR-B	DMO



Data Validation Report

Site: SPS Technologies, Outfall and Sheet Flow Sampling
Laboratory: Pace Analytical, Westborough and Mansfield, MA
SDG No.: L2515278
Parameters: Select Volatile Organic Compounds (VOCs), Select Metals, Hardness, Total Suspended Solids (TSS), Total Cyanide, Free Cyanide, Nitrate/Nitrite, Chemical Oxygen Demand (COD), Oil & Grease, Hexavalent Chromium, Trivalent Chromium
Data Reviewer: Jessica Esser/TRC
Peer Reviewer: Kristen Morin/TRC
Date: March 18, 2025

Samples Reviewed and Evaluation Summary

3 Outfall Samples: OUTFALL 6, OUTFALL 9-031725, DUP-01-031725¹

1 Sheet Flow Sample: SF1-031725

1 Trip Blank: TBSW-031725

¹Field duplicate of OUTFALL 9-031725

The above-listed samples were collected on March 17, 2025 and were analyzed for one or more of the following parameters.

- Select VOCs (toluene, 2-butanone) using EPA Method 624.1
- Select total metals (aluminum, chromium, copper, iron, lead, nickel, zinc) using EPA Method 200.8
- Select dissolved metals (chromium, nickel) using EPA Method 200.8
- Total hardness (by calculation) using EPA Method 200.8
- TSS using Standard Methods (SM) 2540D
- Total cyanide using SM 4500 CN-CE
- Free cyanide using SM 4500 CN-E (M)
- Nitrate/nitrite using EPA Method 353.2
- COD using EPA Method 410.4
- Oil and grease using EPA Method 1664B
- Hexavalent chromium using SM 3500 CR-B
- Trivalent chromium by calculation

Limited data validation was performed in accordance with *USEPA National Functional Guidelines for Organic Superfund Methods Data Review (EPA-540-R-20-005)*, November 2020 and *USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (EPA-542-R-20-006)*, November 2020, modified for the methodologies utilized.

The data were evaluated based on the following parameters:

- Overall Evaluation of Data and Potential Usability Issues
- Data Completeness
- * • Holding Times and Sample Preservation
- Blanks

- * • Surrogate Recoveries (VOCs only)
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results
- * • Laboratory Duplicate Results
- * • Laboratory Control Sample (LCS) Results
- * • Field Duplicate Results
- Sample Results and Reported Quantitation Limits (QLs)

- * - All criteria were met.

Overall Evaluation of Data and Potential Usability Issues

All results are usable for project objectives. Qualification of the data as a result of sampling error was not required. Qualifications applied to the data as a result of analytical error are discussed below.

- Potential uncertainty exists for select VOC, metals, total cyanide, free cyanide, COD, trivalent chromium, and hexavalent chromium results that were below the lowest calibration standard and QL. These results were qualified as estimated (J) by the laboratory in the associated samples. These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.
- The positive results for dissolved nickel were qualified as nondetect (U) in samples SF1-031725 and OUTFALL 6 due to method blank contamination. These results can be used for project objectives as nondetects, which should not have an impact on the data usability.
- The positive results for dissolved nickel were qualified as estimated with a potential high bias (J+) in samples OUTFALL 9-031725 and DUP-01-031725 due to method blank contamination. These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.
- The positive results for COD in samples OUTFALL 6, OUTFALL 9-031725, SF1-031725, and DUP-01-031725 were qualified as estimated with a potential high bias (J+) due to a high MS percent recovery (%R); however, the result for COD in sample OUTFALL 6 was also qualified as estimated (J) due to detection below the QL and therefore was qualified as estimated (J) with no direction of bias. These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.

Data Completeness

The data package was a complete Level 2 data package with the following exceptions/notes.

- The trip blank sample (TBSW-031725) was not listed on the chain-of-custody (COC) for this data set. One trip blank was submitted for two different sample sets and the trip blank is listed on the COC of the other sample set for this project. Since samples were shipped together, the same trip blank is applicable to both data sets and the laboratory reported the results of the trip blank in both reports.
- The date of collection for the trip blank was listed as 3/15/25 on the COC. For purposes of this assessment, it was assumed the date of collection was the same as the associated samples.
- Total zinc and trivalent chromium were not requested on the COC. The laboratory noted in the case narrative that the analyses performed were specified by the client. It was confirmed

with the project team during this validation that the analytes reported were correct.

- The laboratory performed MS/laboratory duplicate analyses on sample OUTFALL 6 for nitrate/nitrite and COD rather than MS/MSD analyses as requested on the COC.
- MS/MSD analyses were not performed on sample OUTFALL 6 for TSS as requested on the COC; a laboratory duplicate analysis was performed instead due to the nature of the analysis.

There is no impact on the data usability due to these issues and no validation actions were taken on this basis.

Holding Times and Sample Preservation

All holding time and preservation criteria were met for all parameters.

Blanks

Target VOCs were not detected in the trip blank. A field blank was not submitted with the data set. With the exception of dissolved nickel, target analytes were not detected in the associated laboratory method blanks. Dissolved nickel was detected in the laboratory method blank associated with all samples in this data set at a concentration of 0.0008 J mg/L. The positive results for dissolved nickel in samples SF1-031725 and OUTFALL 6 were qualified as nondetect (U) at the QL since the results were < the QL. The positive results for dissolved nickel in samples OUTFALL 9-031725 and DUP-01-031725 were qualified as estimated with a potential high bias (J+) since the results were ≥ the QL but < 10x the amount detected in the method blank.

Surrogate Recoveries (VOCs only)

All criteria were met.

MS/MSD Results

MS/MSD analyses were performed on sample OUTFALL 6 for VOCs, total and dissolved metals, hardness, total cyanide, free cyanide, oil and grease, and hexavalent chromium. MS analyses were performed on sample OUTFALL 6 for nitrate/nitrite and COD. With the exception of COD, all criteria were met. The %R for COD in the MS (114%) performed on sample OUTFALL 6 was above the laboratory acceptance criteria (90-110%). Therefore, the positive results for COD in samples OUTFALL 6, OUTFALL 9-031725, SF1-031725, and DUP-01-031725 were qualified as estimated with a potential high bias (J+); however, OUTFALL 6 was also qualified as estimated (J) due to detection below the QL and therefore was qualified as estimated (J) with no direction of bias.

Laboratory Duplicate Results

Laboratory duplicate analyses were performed on sample OUTFALL 6 for TSS, free cyanide, nitrate/nitrite, COD, and hexavalent chromium. All criteria were met.

LCS Results

All criteria were met for all parameters.

Field Duplicate Results

Samples OUTFALL 9-031725 and DUP-01-031725 were submitted as the field duplicate pair with

this sample set. The following table summarizes the relative percent differences (RPDs) and/or absolute differences (AbsDs), where applicable, of the detected analytes after validation. The QL was used in the calculation of the AbsD for nondetect (ND) results. All criteria were met.

Analyte	QLs (mg/L)	OUTFALL 9-031725 (mg/L)	DUP-01-031725 (mg/L)	RPD (%) or AbsD (mg/L)	Validation Action
2-Butanone	0.010	0.0012 J	0.0016 J	AbsD = 0.0004	None; all criteria were met.
Total Aluminum	0.010	0.1728	0.1579	RPD = 9.0	
Total Chromium	0.001	0.01351	0.01245	RPD = 8.2	
Total Copper	0.001	0.00965	0.00902	RPD = 6.7	
Total Iron	0.050	0.3937	0.3676	RPD = 6.9	
Total Lead	0.001	0.00541	0.00496	AbsD = 0.00045	
Total Nickel	0.002	0.00338	0.00365	AbsD = 0.00027	
Total Zinc	0.005	0.1999	0.1978	RPD = 1.1	
Hardness	0.54	51.80	48.13	RPD = 7.3	
Trivalent Chromium	0.010	0.004 J	0.007 J	AbsD = 0.003	
Dissolved Chromium	0.001	0.0102	0.0101	RPD = 1.0	
Dissolved Nickel	0.002	0.0029	0.0028	AbsD = 0.0001	
TSS	5.0	5.4	7.5	AbsD = 2.1	
Total Cyanide	0.005	0.004 J	0.001 J	AbsD = 0.003	
Free Cyanide	0.010	0.004 J	ND	AbsD = 0.006	
Nitrate/Nitrite	0.10	0.54	0.51	RPD = 5.7	
COD	20	23	27	AbsD = 4	
Hexavalent Chromium	0.010	0.009 J	0.005 J	AbsD = 0.004	

Field duplicate criteria are as follows:

- RPD \leq 30 when positive results for both samples are \geq 5x QL
- AbsD \leq QL when one or both results are $<$ 5x QL

Sample Results and Reported Quantitation Limits

Select VOC, metals, total cyanide, free cyanide, COD, trivalent chromium, and hexavalent chromium results were reported that were below the lowest calibration standard level and QL. These results were qualified as estimated (J) in the associated samples by the laboratory.

There were no dilutions performed on the samples in this data set.

The total and dissolved metal results were evaluated during data validation to identify any dissolved concentrations that were significantly higher than the associated total concentration. The evaluation was based on the following criteria to determine significance: percent difference (%D) should be \leq 20% when dissolved results are greater than total results and both results are \geq 5x the QL. If the dissolved result was $>$ the total and one or both results were $<$ 5x the QL, then the AbsD should be \leq 2x the QL. These criteria were met for all samples.

QUALIFIED FORM 1s

VOLATILES

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-01
 Client ID: OUTFALL 9-031725
 Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 11:00
 Date Received: 03/17/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/18/25 14:08
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	0.0012	J	mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	75		60-140
Fluorobenzene	72		60-140
4-Bromofluorobenzene	110		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-02
Client ID: SF1-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 08:35
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 12:12
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	92		60-140
Fluorobenzene	71		60-140
4-Bromofluorobenzene	86		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-03
Client ID: OUTFALL 6
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 09:30
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 13:20
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	86		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	92		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-04
 Client ID: DUP-01-031725
 Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 00:00
 Date Received: 03/17/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/18/25 12:46
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	0.0016	J	mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	86		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	92		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-05
Client ID: TBSW-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/15/25 00:00
Date Received: 03/17/25
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 10:21
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	79		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	113		60-140

METALS

Project Name: SPS TECHNOLOGIES**Lab Number:** L2515278**Project Number:** 658978**Report Date:** 03/18/25**SAMPLE RESULTS**

Lab ID: L2515278-01

Date Collected: 03/17/25 11:00

Client ID: OUTFALL 9-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.1728		mg/l	0.01000	0.00327	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Chromium, Total	0.01351		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Copper, Total	0.00965		mg/l	0.00100	0.00038	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Iron, Total	0.3937		mg/l	0.05000	0.01910	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Lead, Total	0.00541		mg/l	0.00100	0.00034	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00338		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Zinc, Total	0.1999		mg/l	0.00500	0.00341	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	51.80		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	0.004	J	mg/l	0.010	0.003	1		03/18/25 14:03	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0102		mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:44	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0029	J+	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:44	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES

Lab Number: L2515278

Project Number: 658978

Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-02

Date Collected: 03/17/25 08:35

Client ID: SF1-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.06666		mg/l	0.01000	0.00327	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Chromium, Total	0.00124		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Copper, Total	0.00545		mg/l	0.00100	0.00038	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Iron, Total	0.1758		mg/l	0.05000	0.01910	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Lead, Total	0.00245		mg/l	0.00100	0.00034	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00180	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Zinc, Total	0.03190		mg/l	0.00500	0.00341	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	162.2		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB

General Chemistry - Mansfield Lab

Chromium, Trivalent	ND		mg/l	0.010	0.003	1	03/18/25 14:07	NA	107,-	
---------------------	----	--	------	-------	-------	---	----------------	----	-------	--

Dissolved Metals - Mansfield Lab

Chromium, Dissolved	0.0024		mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:49	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0016 ND	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:49	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515278**Project Number:** 658978**Report Date:** 03/18/25**SAMPLE RESULTS**

Lab ID: L2515278-03

Date Collected: 03/17/25 09:30

Client ID: OUTFALL 6

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.3957		mg/l	0.01000	0.00327	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Chromium, Total	0.00141		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Copper, Total	0.00868		mg/l	0.00100	0.00038	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Iron, Total	0.7085		mg/l	0.05000	0.01910	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Lead, Total	0.00662		mg/l	0.00100	0.00034	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00227		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Zinc, Total	0.04276		mg/l	0.00500	0.00341	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	118.2		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB

General Chemistry - Mansfield Lab

Chromium, Trivalent	ND		mg/l	0.010	0.003	1	03/18/25 08:11	03/18/25 14:54	EPA 3005A	3,200.8	NTB
---------------------	----	--	------	-------	-------	---	----------------	----------------	-----------	---------	-----

Dissolved Metals - Mansfield Lab

Chromium, Dissolved	0.0005	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 14:54	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0012 ND	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 14:54	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515278**Project Number:** 658978**Report Date:** 03/18/25**SAMPLE RESULTS**

Lab ID: L2515278-04

Date Collected: 03/17/25 00:00

Client ID: DUP-01-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.1579		mg/l	0.01000	0.00327	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Chromium, Total	0.01245		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Copper, Total	0.00902		mg/l	0.00100	0.00038	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Iron, Total	0.3676		mg/l	0.05000	0.01910	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Lead, Total	0.00496		mg/l	0.00100	0.00034	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00365		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Zinc, Total	0.1978		mg/l	0.00500	0.00341	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	48.13		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	0.007	J	mg/l	0.010	0.003	1		03/18/25 14:12	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0101		mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:53	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0028	J+	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:53	EPA 3005A	3,200.8	NTB



INORGANICS & MISCELLANEOUS

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-01
Client ID: OUTFALL 9-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 11:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	5.4		mg/l	5.0	NA	1	-	03/18/25 06:41	121,2540D	BAY
Cyanide, Total	0.004	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:10	121,4500CN-CE	JER
Cyanide, Free	0.004	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Nitrogen, Nitrate/Nitrite	0.54		mg/l	0.10	0.046	1	-	03/18/25 06:30	44,353.2	KAF
Chemical Oxygen Demand	23.	J+	mg/l	20	6.0	1	03/18/25 11:00	03/18/25 13:52	44,410.4	CVN
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:28	140,1664B	TPR
Chromium, Hexavalent	0.009	J	mg/l	0.010	0.003	1	03/18/25 07:05	03/18/25 07:26	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-02
Client ID: SF1-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 08:35
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	03/18/25 06:41	121,2540D	BAY
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:11	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Nitrogen, Nitrate/Nitrite	0.41		mg/l	0.10	0.046	1	-	03/18/25 06:31	44,353.2	KAF
Chemical Oxygen Demand	25.	J+	mg/l	20	6.0	1	03/18/25 11:00	03/18/25 13:52	44,410.4	CVN
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:30	140,1664B	TPR
Chromium, Hexavalent	0.008	J	mg/l	0.010	0.003	1	03/18/25 07:05	03/18/25 07:27	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-03
Client ID: OUTFALL 6
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 09:30
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	03/18/25 06:41	121,2540D	BAY
Cyanide, Total	0.002	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:12	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Nitrogen, Nitrate/Nitrite	1.5		mg/l	0.10	0.046	1	-	03/18/25 06:36	44,353.2	KAF
Chemical Oxygen Demand	17.	J J	mg/l	20	6.0	1	03/18/25 11:00	03/18/25 13:53	44,410.4	CVN
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:34	140,1664B	TPR
Chromium, Hexavalent	0.005	J	mg/l	0.010	0.003	1	03/18/25 07:05	03/18/25 07:28	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-04
Client ID: DUP-01-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 00:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	7.5		mg/l	5.0	NA	1	-	03/18/25 06:41	121,2540D	BAY
Cyanide, Total	0.001	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:17	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Nitrogen, Nitrate/Nitrite	0.51		mg/l	0.10	0.046	1	-	03/18/25 06:39	44,353.2	KAF
Chemical Oxygen Demand	27.	J+	mg/l	20	6.0	1	03/18/25 11:00	03/18/25 13:53	44,410.4	CVN
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 13:15	140,1664B	TPR
Chromium, Hexavalent	0.005	J	mg/l	0.010	0.003	1	03/18/25 07:05	03/18/25 07:32	121,3500CR-B	DMO





ANALYTICAL REPORT

Lab Number:	L2515277
Client:	TRC Environmental 1617 JFK Blvd. Suite 510 Philadelphia, PA 19103
ATTN:	Julie Acton
Phone:	(215) 563-2122
Project Name:	SPS TECHNOLOGIES
Project Number:	658978
Report Date:	03/19/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2515277-01	SW1-031725	WATER	JENKINTOWN, PA	03/17/25 13:35	03/17/25
L2515277-02	SW2-031725	WATER	JENKINTOWN, PA	03/17/25 14:10	03/17/25
L2515277-03	SW3-031725	WATER	JENKINTOWN, PA	03/17/25 14:45	03/17/25
L2515277-04	SW4-031725	WATER	JENKINTOWN, PA	03/17/25 13:05	03/17/25
L2515277-05	SW5-031725	WATER	JENKINTOWN, PA	03/17/25 12:05	03/17/25
L2515277-06	TBSW-031725	WATER	JENKINTOWN, PA	03/15/25 00:00	03/17/25
L2515277-07	DUP-02-031725	WATER	JENKINTOWN, PA	03/17/25 00:00	03/17/25

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

Case Narrative (continued)

Report Revision

March 19, 2025: The Client ID was amended on L2515277-07.

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

L2515277-07: The collection time was specified by the client.

Dissolved Metals

L2515277-04: The Dissolved result for Nickel is greater than the Total result. The sample containers were verified as being labeled correctly by the laboratory.

Cyanide, Total

WG2041841: An MS/MSD was performed in lieu of a Matrix Spike and Laboratory Duplicate.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Caitlin Walukevich

Title: Technical Director/Representative

Date: 03/19/25

ORGANICS

VOLATILES

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-01
Client ID: SW1-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 13:35
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 10:53
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	81		60-140
Fluorobenzene	74		60-140
4-Bromofluorobenzene	116		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-02
Client ID: SW2-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:10
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 11:25
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	78		60-140
Fluorobenzene	75		60-140
4-Bromofluorobenzene	113		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-03
 Client ID: SW3-031725
 Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:45
 Date Received: 03/17/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/18/25 11:57
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	76		60-140
Fluorobenzene	73		60-140
4-Bromofluorobenzene	114		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-04
Client ID: SW4-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 13:05
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 12:30
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	77		60-140
Fluorobenzene	73		60-140
4-Bromofluorobenzene	114		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-05
Client ID: SW5-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 12:05
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 13:04
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	75		60-140
Fluorobenzene	72		60-140
4-Bromofluorobenzene	111		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-06
Client ID: TBSW-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/15/25 00:00
Date Received: 03/17/25
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 10:21
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	79		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	113		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-07
Client ID: DUP-02-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 00:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 13:36
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	75		60-140
Fluorobenzene	72		60-140
4-Bromofluorobenzene	114		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 128,624.1
 Analytical Date: 03/18/25 09:12
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-07 Batch: WG2042057-4					
Toluene	ND		mg/l	0.0010	0.00031
2-Butanone	ND		mg/l	0.010	0.0010

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	82		60-140
Fluorobenzene	73		60-140
4-Bromofluorobenzene	110		60-140

Lab Control Sample Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 Batch: WG2042057-3								
Toluene	125		-		70-130	-		41
2-Butanone	76		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	92				60-140
Fluorobenzene	91				60-140
4-Bromofluorobenzene	110				60-140

Matrix Spike Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 QC Batch ID: WG2042057-5 WG2042057-6 QC Sample: L2515277-05 Client ID: SW5-031725												
Toluene	ND	0.00002	0.023	115		0.024	120		47-150	4		41
2-Butanone	ND	0.00005	0.036	72		0.039	78		60-140	8		30

Surrogate	MS % Recovery	Qualifier	MSD % Recovery	Qualifier	Acceptance Criteria
4-Bromofluorobenzene	107		107		60-140
Fluorobenzene	83		86		60-140
Pentafluorobenzene	86		88		60-140

METALS

Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-01

Date Collected: 03/17/25 13:35

Client ID: SW1-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00060	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:29	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00109	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:29	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	148.1		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:29	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:29	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:07	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0011	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:07	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-02

Date Collected: 03/17/25 14:10

Client ID: SW2-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00114		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:34	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00559		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:34	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	155.7		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:34	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:34	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0007	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:12	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0048		mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:12	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-03
 Client ID: SW3-031725
 Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:45
 Date Received: 03/17/25
 Field Prep: Refer to COC

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00064	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:49	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00133	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:49	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	149.5		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:49	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:49	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:31	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0011	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:31	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-04

Date Collected: 03/17/25 13:05

Client ID: SW4-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00065	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:54	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00113	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:54	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	69.88		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:54	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:54	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:35	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0107		mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:35	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-05

Date Collected: 03/17/25 12:05

Client ID: SW5-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00081	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:03	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00108	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:03	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	43.04		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:03	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:03	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0005	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 14:41	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0009	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 14:41	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**SAMPLE RESULTS**

Lab ID: L2515277-07

Date Collected: 03/17/25 00:00

Client ID: DUP-02-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00071	J	mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:58	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00132	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:58	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	147.4		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:58	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/18/25 13:58	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:40	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0012	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:40	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES

Lab Number: L2515277

Project Number: 658978

Report Date: 03/19/25

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-05,07 Batch: WG2041737-1										
Chromium, Total	ND		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB
Nickel, Total	ND		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness (by calculation) - Mansfield Lab for sample(s): 01-05,07 Batch: WG2041737-1										
Hardness	ND		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab for sample(s): 01-05,07 Batch: WG2041738-1										
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 14:32	3,200.8	NTB
Nickel, Dissolved	0.0008	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 14:32	3,200.8	NTB

Prep Information

Digestion Method: EPA 3005A



Lab Control Sample Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-05,07 Batch: WG2041737-2								
Chromium, Total	102		-		85-115	-		
Nickel, Total	106		-		85-115	-		
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-05,07 Batch: WG2041737-2								
Hardness	98		-		85-115	-		
Dissolved Metals - Mansfield Lab Associated sample(s): 01-05,07 Batch: WG2041738-2								
Chromium, Dissolved	95		-		85-115	-		
Nickel, Dissolved	99		-		85-115	-		

Matrix Spike Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041737-3 WG2041737-4 QC Sample: L2515277-05 Client ID: SW5-031725												
Chromium, Total	0.00081J	0.2	0.2053	103		0.2068	103		70-130	1		20
Nickel, Total	0.00108J	0.5	0.5348	107		0.5312	106		70-130	1		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041737-3 WG2041737-4 QC Sample: L2515277-05 Client ID: SW5-031725												
Hardness	43.04	66.2	107.4	97		108.6	99		70-130	1		20
Total Metals - Mansfield Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041737-5 WG2041737-6 QC Sample: L2515278-03 Client ID: MS Sample												
Chromium, Total	0.00141	0.2	0.2105	104		0.1985	98		70-130	6		20
Nickel, Total	0.00227	0.5	0.5427	108		0.5121	102		70-130	6		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041737-5 WG2041737-6 QC Sample: L2515278-03 Client ID: MS Sample												
Hardness	118.2	66.2	184.3	100		172.2	82		70-130	7		20
Dissolved Metals - Mansfield Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041738-3 WG2041738-4 QC Sample: L2515277-05 Client ID: SW5-031725												
Chromium, Dissolved	0.0005J	0.2	0.1965	98		0.1955	98		70-130	1		20
Nickel, Dissolved	0.0009J	0.5	0.4937	99		0.4980	100		70-130	1		20
Dissolved Metals - Mansfield Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041738-5 WG2041738-6 QC Sample: L2515278-03 Client ID: MS Sample												
Chromium, Dissolved	0.0005J	0.2	0.2000	100		0.1994	100		70-130	0		20
Nickel, Dissolved	0.0012J	0.5	0.5157	103		0.5164	103		70-130	0		20

INORGANICS & MISCELLANEOUS

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-01
Client ID: SW1-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 13:35
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.002	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 13:59	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 11:42	140,1664B	TPR
Chromium, Hexavalent	0.007	J	mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:37	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-02

Client ID: SW2-031725

Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:10

Date Received: 03/17/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:00	121,4500CN-CE	JER
Cyanide, Free	0.006	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 11:44	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:38	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-03
Client ID: SW3-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 14:45
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.002	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:01	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:24	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:39	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-04

Client ID: SW4-031725

Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 13:05

Date Received: 03/17/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:04	121,4500CN-CE	JER
Cyanide, Free	0.004	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:25	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:40	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-05

Client ID: SW5-031725

Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 12:05

Date Received: 03/17/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:05	121,4500CN-CE	JER
Cyanide, Free	0.004	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 10:05	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:41	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

SAMPLE RESULTS

Lab ID: L2515277-07
Client ID: DUP-02-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 00:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:09	121,4500CN-CE	JER
Cyanide, Free	0.005	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:26	140,1664B	TPR
Chromium, Hexavalent	0.008	J	mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:44	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-05,07 Batch: WG2041728-1										
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:12	03/18/25 07:35	121,3500CR-B	DMO
General Chemistry - Westborough Lab for sample(s): 01-05,07 Batch: WG2041758-1										
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
General Chemistry - Westborough Lab for sample(s): 01-05,07 Batch: WG2041826-1										
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 10:03	140,1664B	TPR
General Chemistry - Westborough Lab for sample(s): 01-05,07 Batch: WG2041841-1										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 13:51	121,4500CN-CE	JER



Lab Control Sample Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 Batch: WG2041728-2								
Chromium, Hexavalent	105		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 Batch: WG2041758-2								
Cyanide, Free	97		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 Batch: WG2041826-2								
Oil & Grease, Hem-Grav	99		-		78-114	-		18
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 Batch: WG2041841-2								
Cyanide, Total	96		-		90-110	-		

Matrix Spike Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515277

Report Date: 03/19/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041728-4 WG2041728-5 QC Sample: L2515277-05 Client ID: SW5-031725												
Chromium, Hexavalent	ND	0.1	0.102	102		0.101	101		85-115	1		20
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041758-4 WG2041758-5 QC Sample: L2515277-05 Client ID: SW5-031725												
Cyanide, Free	0.004J	0.25	0.258	103		0.250	100		80-120	3		20
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041826-4 WG2041826-5 QC Sample: L2515277-05 Client ID: SW5-031725												
Oil & Grease, Hem-Grav	ND	39.2	37	94		37	95		78-114	0		18
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041826-6 WG2041826-7 QC Sample: L2515278-03 Client ID: MS Sample												
Oil & Grease, Hem-Grav	ND	39.2	35	90		37	94		78-114	0		18
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041841-3 WG2041841-4 QC Sample: L2515277-05 Client ID: SW5-031725												
Cyanide, Total	0.003J	0.2	0.203	102		0.204	102		90-110	1		30
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041841-6 WG2041841-7 QC Sample: L2515278-03 Client ID: MS Sample												
Cyanide, Total	0.002J	0.2	0.206	103		0.206	103		90-110	0		30

Lab Duplicate Analysis*Batch Quality Control***Project Name:** SPS TECHNOLOGIES**Project Number:** 658978**Lab Number:** L2515277**Report Date:** 03/19/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041728-3 QC Sample: L2515277-05 Client ID: SW5-031725						
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041758-3 QC Sample: L2515277-05 Client ID: SW5-031725						
Cyanide, Free	0.004J	0.004J	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041826-3 QC Sample: L2515277-05 Client ID: SW5-031725						
Oil & Grease, Hem-Grav	ND	ND	mg/l	NC		18
General Chemistry - Westborough Lab Associated sample(s): 01-05,07 QC Batch ID: WG2041841-5 QC Sample: L2515277-05 Client ID: SW5-031725						
Cyanide, Total	0.003J	ND	mg/l	NC		30

Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent
C	Absent
D	Absent
E	Absent
F	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515277-01A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-01B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-01C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-01D	Plastic 250ml NaOH preserved	A	>12	>12	2.1	Y	Absent		TCN-4500(14)
L2515277-01E	Plastic 250ml HNO3 preserved	A	<2	<2	2.1	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515277-01F	Plastic 250ml HNO3 preserved	A	<2	<2	2.1	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515277-01G	Plastic 500ml unpreserved	A	7	7	2.1	Y	Absent		HEXCR-3500(1),FCN(1)
L2515277-01H	Amber 1L HCl preserved	A	NA		2.1	Y	Absent		OG-1664(28)
L2515277-01J	Amber 1L HCl preserved	A	NA		2.1	Y	Absent		OG-1664(28)
L2515277-02A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-02B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-02C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-02D	Plastic 250ml NaOH preserved	A	>12	>12	2.1	Y	Absent		TCN-4500(14)
L2515277-02E	Plastic 250ml HNO3 preserved	A	<2	<2	2.1	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515277-02F	Plastic 250ml HNO3 preserved	A	<2	<2	2.1	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515277-02G	Plastic 500ml unpreserved	A	7	7	2.1	Y	Absent		HEXCR-3500(1),FCN(1)
L2515277-02H	Amber 1L HCl preserved	A	NA		2.1	Y	Absent		OG-1664(28)

*Values in parentheses indicate holding time in days

Project Name: SPS TECHNOLOGIES**Lab Number:** L2515277**Project Number:** 658978**Report Date:** 03/19/25**Container Information**

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515277-02J	Amber 1L HCl preserved	A	NA		2.1	Y	Absent		OG-1664(28)
L2515277-03A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-03B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-03C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-03D	Plastic 250ml NaOH preserved	A	>12	>12	2.1	Y	Absent		TCN-4500(14)
L2515277-03E	Plastic 250ml HNO3 preserved	A	<2	<2	2.1	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515277-03F	Plastic 250ml HNO3 preserved	A	<2	<2	2.1	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515277-03G	Plastic 500ml unpreserved	A	7	7	2.1	Y	Absent		HEXCR-3500(1),FCN(1)
L2515277-03H	Amber 1L HCl preserved	A	NA		2.1	Y	Absent		OG-1664(28)
L2515277-03J	Amber 1L HCl preserved	A	NA		2.1	Y	Absent		OG-1664(28)
L2515277-04A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-04B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-04C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-04D	Plastic 250ml NaOH preserved	A	>12	>12	2.1	Y	Absent		TCN-4500(14)
L2515277-04E	Plastic 250ml HNO3 preserved	A	<2	<2	2.1	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515277-04F	Plastic 250ml HNO3 preserved	A	<2	<2	2.1	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515277-04G	Plastic 500ml unpreserved	A	7	7	2.1	Y	Absent		HEXCR-3500(1),FCN(1)
L2515277-04H	Amber 1L HCl preserved	A	NA		2.1	Y	Absent		OG-1664(28)
L2515277-04J	Amber 1L HCl preserved	A	NA		2.1	Y	Absent		OG-1664(28)
L2515277-05A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-05A1	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-05A2	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-05B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-05B1	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-05B2	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-05C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-05C1	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Serial_No: 03192511:06
Lab Number: L2515277
Report Date: 03/19/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515277-05C2	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-05D	Plastic 250ml NaOH preserved	B	>12	>12	3.5	Y	Absent		TCN-4500(14)
L2515277-05D1	Plastic 250ml NaOH preserved	B	>12	>12	3.5	Y	Absent		TCN-4500(14)
L2515277-05D2	Plastic 250ml NaOH preserved	B	>12	>12	3.5	Y	Absent		TCN-4500(14)
L2515277-05E	Plastic 250ml HNO3 preserved	B	<2	<2	3.5	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515277-05E1	Plastic 250ml HNO3 preserved	B	<2	<2	3.5	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515277-05E2	Plastic 250ml HNO3 preserved	B	<2	<2	3.5	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515277-05F	Plastic 250ml HNO3 preserved	B	<2	<2	3.5	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515277-05F1	Plastic 250ml HNO3 preserved	B	<2	<2	3.5	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515277-05F2	Plastic 250ml HNO3 preserved	B	<2	<2	3.5	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515277-05G	Plastic 500ml unpreserved	B	7	7	3.5	Y	Absent		HEXCR-3500(1),FCN(1)
L2515277-05G1	Plastic 500ml unpreserved	B	7	7	3.5	Y	Absent		HEXCR-3500(1),FCN(1)
L2515277-05G2	Plastic 500ml unpreserved	B	7	7	3.5	Y	Absent		HEXCR-3500(1),FCN(1)
L2515277-05H	Amber 1L HCl preserved	B	NA		3.5	Y	Absent		OG-1664(28)
L2515277-05H1	Amber 1L HCl preserved	B	NA		3.5	Y	Absent		OG-1664(28)
L2515277-05H2	Amber 1L HCl preserved	B	NA		3.5	Y	Absent		OG-1664(28)
L2515277-05J	Amber 1L HCl preserved	B	NA		3.5	Y	Absent		OG-1664(28)
L2515277-05J1	Amber 1L HCl preserved	B	NA		3.5	Y	Absent		OG-1664(28)
L2515277-05J2	Amber 1L HCl preserved	B	NA		3.5	Y	Absent		OG-1664(28)
L2515277-06A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-06B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-07A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-07B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-07C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515277-07D	Plastic 250ml NaOH preserved	B	>12	>12	3.5	Y	Absent		TCN-4500(14)
L2515277-07E	Plastic 250ml HNO3 preserved	B	<2	<2	3.5	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515277-07F	Plastic 250ml HNO3 preserved	B	<2	<2	3.5	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)

*Values in parentheses indicate holding time in days



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Serial_No:03192511:06
Lab Number: L2515277
Report Date: 03/19/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515277-07G	Plastic 500ml unpreserved	B	7	7	3.5	Y	Absent		HEXCR-3500(1),FCN(1)
L2515277-07H	Amber 1L HCl preserved	B	NA		3.5	Y	Absent		OG-1664(28)
L2515277-07J	Amber 1L HCl preserved	B	NA		3.5	Y	Absent		OG-1664(28)

Container Comments

L2515277-04J cap cracked, sample intact

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515277
Report Date: 03/19/25

REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 107 Calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.
- 140 Method 1664, Revision B: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-10-001, February 2010.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at its own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Pace Analytical Services LLC

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 1 of 2

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

MADEP-APH.**Nonpotable Water:** EPA RSK-175 Dissolved Gases**Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.****Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg. EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

Pace Analytical Services LLCID No.: **17873**Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

Certification IDs:**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.



CHAIN OF CUSTODY

PAGE 1 OF 1

Project Information

Project Name: SPS Technologies

Project Location: Jenkintown, PA

Project #: 658978

Project Manager: Julie Acton

ALPHA Quote #:

Turn-Around Time

☐ Standard☒ Rush (ONLY IF PRE-APPROVED)

Due Date:

Time: 1-Day

Westborough, MA
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA
TEL: 508-822-9300
FAX: 508-822-3288

Client Information

Client: TRC Environmental Corporation

Address: 1617 John F. Kennedy Blvd.

Suite 510, Philadelphia, PA 19103

Phone: ~~215-563-2122~~ 267-679-6728

Fax: 215-563-2339

Email: JActon@trccompanies.com

☐ These samples have been Previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

Attorney-Client Privileged & Confidential

All VOAs in 1 Cooler

ER Sample Dissolved Metals
field filtered

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	Oil and Grease E1634B	Free Cyanide SM4500CN-E(M)	Total Cyanide SM4500CN-CE	Speciated Hex-Chrome SM3500-CrB	Total Chromium E200.8	Dissolved Chromium E200.8	Total Nickel E200.8	Dissolved Nickel E200.8	MEK E624.1	Toluene E624.1	Total Hardness E200.8		Sample Specific Comments	
		Date	Time																
15277-01	SW1-031725	3/17/25	1335	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		9
02	SW2-031725	3/17/25	1410	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		9
03	SW3-031725	3/17/25	1445	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		9
04	SW4-031725	3/17/25	1305	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		9
05	SW5-031725	3/17/25	1205	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Return M3/MD	M3/MD 2
06	TBSW-031725	3/15/25	—	W	JS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
07	Dup-02-031725	3/17/25	1745	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Container Type

Preservative

Relinquished By:

Date/Time

Received By:

Date/Time

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.



ANALYTICAL REPORT

Lab Number: L2515278

Client: TRC Environmental
1617 JFK Blvd.
Suite 510
Philadelphia, PA 19103

ATTN: Julie Acton

Phone: (215) 563-2122

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Report Date: 03/18/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2515278-01	OUTFALL 9-031725	WATER	JENKINTOWN, PA	03/17/25 11:00	03/17/25
L2515278-02	SF1-031725	WATER	JENKINTOWN, PA	03/17/25 08:35	03/17/25
L2515278-03	OUTFALL 6	WATER	JENKINTOWN, PA	03/17/25 09:30	03/17/25
L2515278-04	DUP-01-031725	WATER	JENKINTOWN, PA	03/17/25 00:00	03/17/25
L2515278-05	TBSW-031725	WATER	JENKINTOWN, PA	03/15/25 00:00	03/17/25

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

The analyses performed were specified by the client.

Cyanide, Total

WG2041841: An MS/MSD was performed in lieu of a Matrix Spike and Laboratory Duplicate.

Chemical Oxygen Demand

The WG2041890-7 MS recovery performed on L2515278-03 is outside the acceptance criteria for chemical oxygen demand (114%); however, the associated LCS recovery is within criteria. No further action was taken.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Caitlin Walukevich

Title: Technical Director/Representative

Date: 03/18/25

ORGANICS

VOLATILES

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-01
Client ID: OUTFALL 9-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 11:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 14:08
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	0.0012	J	mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	75		60-140
Fluorobenzene	72		60-140
4-Bromofluorobenzene	110		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-02
Client ID: SF1-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 08:35
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 12:12
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	92		60-140
Fluorobenzene	71		60-140
4-Bromofluorobenzene	86		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-03
Client ID: OUTFALL 6
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 09:30
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 13:20
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	86		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	92		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-04
Client ID: DUP-01-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 00:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 12:46
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	0.0016	J	mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	86		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	92		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-05
Client ID: TBSW-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/15/25 00:00
Date Received: 03/17/25
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 03/18/25 10:21
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	79		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	113		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 128,624.1
 Analytical Date: 03/18/25 11:03
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02-04 Batch: WG2042053-4					
Toluene	ND		mg/l	0.0010	0.00031
2-Butanone	ND		mg/l	0.010	0.0010

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	85		60-140
Fluorobenzene	70		60-140
4-Bromofluorobenzene	88		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 128,624.1
Analytical Date: 03/18/25 09:12
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,05 Batch: WG2042057-4					
Toluene	ND		mg/l	0.0010	0.00031
2-Butanone	ND		mg/l	0.010	0.0010

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	82		60-140
Fluorobenzene	73		60-140
4-Bromofluorobenzene	110		60-140

Lab Control Sample Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515278

Report Date: 03/18/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02-04 Batch: WG2042053-3								
Toluene	105		-		70-130	-		41
2-Butanone	76		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	99				60-140
Fluorobenzene	76				60-140
4-Bromofluorobenzene	88				60-140

Lab Control Sample Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515278

Report Date: 03/18/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,05 Batch: WG2042057-3								
Toluene	125		-		70-130	-		41
2-Butanone	76		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	92				60-140
Fluorobenzene	91				60-140
4-Bromofluorobenzene	110				60-140

Matrix Spike Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515278

Report Date: 03/18/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02-04 QC Batch ID: WG2042053-5 WG2042053-6 QC Sample: L2515278-03 Client ID: OUTFALL 6												
Toluene	ND	0.00002	0.028	140		0.022	110		47-150	24		41
2-Butanone	ND	0.00005	0.036	72		0.040	80		60-140	11		30

Surrogate	MS		MSD		Acceptance Criteria
	% Recovery	Qualifier	% Recovery	Qualifier	
4-Bromofluorobenzene	83		86		60-140
Fluorobenzene	78		75		60-140
Pentafluorobenzene	101		100		60-140

METALS

Project Name: SPS TECHNOLOGIES**Lab Number:** L2515278**Project Number:** 658978**Report Date:** 03/18/25**SAMPLE RESULTS**

Lab ID: L2515278-01

Date Collected: 03/17/25 11:00

Client ID: OUTFALL 9-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.1728		mg/l	0.01000	0.00327	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Chromium, Total	0.01351		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Copper, Total	0.00965		mg/l	0.00100	0.00038	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Iron, Total	0.3937		mg/l	0.05000	0.01910	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Lead, Total	0.00541		mg/l	0.00100	0.00034	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00338		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Zinc, Total	0.1999		mg/l	0.00500	0.00341	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	51.80		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 14:03	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	0.004	J	mg/l	0.010	0.003	1		03/18/25 14:03	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0102		mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:44	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0029		mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:44	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515278**Project Number:** 658978**Report Date:** 03/18/25**SAMPLE RESULTS**

Lab ID: L2515278-02

Date Collected: 03/17/25 08:35

Client ID: SF1-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.06666		mg/l	0.01000	0.00327	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Chromium, Total	0.00124		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Copper, Total	0.00545		mg/l	0.00100	0.00038	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Iron, Total	0.1758		mg/l	0.05000	0.01910	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Lead, Total	0.00245		mg/l	0.00100	0.00034	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00180	J	mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Zinc, Total	0.03190		mg/l	0.00500	0.00341	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	162.2		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 14:07	EPA 3005A	3,200.8	NTB

General Chemistry - Mansfield Lab

Chromium, Trivalent	ND		mg/l	0.010	0.003	1	03/18/25 14:07	NA	107,-	
---------------------	----	--	------	-------	-------	---	----------------	----	-------	--

Dissolved Metals - Mansfield Lab

Chromium, Dissolved	0.0024		mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:49	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0016	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:49	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515278**Project Number:** 658978**Report Date:** 03/18/25**SAMPLE RESULTS**

Lab ID: L2515278-03

Date Collected: 03/17/25 09:30

Client ID: OUTFALL 6

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.3957		mg/l	0.01000	0.00327	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Chromium, Total	0.00141		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Copper, Total	0.00868		mg/l	0.00100	0.00038	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Iron, Total	0.7085		mg/l	0.05000	0.01910	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Lead, Total	0.00662		mg/l	0.00100	0.00034	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00227		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Zinc, Total	0.04276		mg/l	0.00500	0.00341	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	118.2		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 13:16	EPA 3005A	3,200.8	NTB

General Chemistry - Mansfield Lab

Chromium, Trivalent	ND		mg/l	0.010	0.003	1	03/18/25 13:16	NA	107,-	
---------------------	----	--	------	-------	-------	---	----------------	----	-------	--

Dissolved Metals - Mansfield Lab

Chromium, Dissolved	0.0005	J	mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 14:54	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0012	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 14:54	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515278**Project Number:** 658978**Report Date:** 03/18/25**SAMPLE RESULTS**

Lab ID: L2515278-04

Date Collected: 03/17/25 00:00

Client ID: DUP-01-031725

Date Received: 03/17/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.1579		mg/l	0.01000	0.00327	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Chromium, Total	0.01245		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Copper, Total	0.00902		mg/l	0.00100	0.00038	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Iron, Total	0.3676		mg/l	0.05000	0.01910	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Lead, Total	0.00496		mg/l	0.00100	0.00034	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Nickel, Total	0.00365		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Zinc, Total	0.1978		mg/l	0.00500	0.00341	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
Total Hardness (by calculation) - Mansfield Lab											
Hardness	48.13		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 14:12	EPA 3005A	3,200.8	NTB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	0.007	J	mg/l	0.010	0.003	1		03/18/25 14:12	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0101		mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 15:53	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0028		mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 15:53	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES

Lab Number: L2515278

Project Number: 658978

Report Date: 03/18/25

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG2041737-1										
Aluminum, Total	ND		mg/l	0.01000	0.00327	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB
Chromium, Total	ND		mg/l	0.00100	0.00017	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB
Copper, Total	ND		mg/l	0.00100	0.00038	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB
Iron, Total	ND		mg/l	0.05000	0.01910	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB
Lead, Total	ND		mg/l	0.00100	0.00034	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB
Nickel, Total	ND		mg/l	0.00200	0.00055	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB
Zinc, Total	ND		mg/l	0.00500	0.00341	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness (by calculation) - Mansfield Lab for sample(s): 01-04 Batch: WG2041737-1										
Hardness	ND		mg/l	0.5400	NA	1	03/18/25 07:40	03/18/25 12:54	3,200.8	NTB

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab for sample(s): 01-04 Batch: WG2041738-1										
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	03/18/25 08:11	03/18/25 14:32	3,200.8	NTB
Nickel, Dissolved	0.0008	J	mg/l	0.0020	0.0006	1	03/18/25 08:11	03/18/25 14:32	3,200.8	NTB

Prep Information

Digestion Method: EPA 3005A



Lab Control Sample Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515278

Report Date: 03/18/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG2041737-2								
Aluminum, Total	98		-		85-115	-		
Chromium, Total	102		-		85-115	-		
Copper, Total	107		-		85-115	-		
Iron, Total	108		-		85-115	-		
Lead, Total	100		-		85-115	-		
Nickel, Total	106		-		85-115	-		
Zinc, Total	113		-		85-115	-		
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-04 Batch: WG2041737-2								
Hardness	98		-		85-115	-		
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG2041738-2								
Chromium, Dissolved	95		-		85-115	-		
Nickel, Dissolved	99		-		85-115	-		

Matrix Spike Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2041737-3 WG2041737-4 QC Sample: L2515277-05 Client ID: MS Sample												
Aluminum, Total	0.2115	2	2.201	99		2.234	101		70-130	1		20
Chromium, Total	0.00081J	0.2	0.2053	103		0.2068	103		70-130	1		20
Copper, Total	0.0041	0.25	0.2756	108		0.2729	108		70-130	1		20
Iron, Total	0.3084	1	1.338	103		1.383	107		70-130	3		20
Lead, Total	0.0017	0.53	0.5276	99		0.5518	104		70-130	4		20
Nickel, Total	0.00108J	0.5	0.5348	107		0.5312	106		70-130	1		20
Zinc, Total	0.0096	0.5	0.5803	114		0.5861	115		70-130	1		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2041737-3 WG2041737-4 QC Sample: L2515277-05 Client ID: MS Sample												
Hardness	43.04	66.2	107.4	97		108.6	99		70-130	1		20
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2041737-5 WG2041737-6 QC Sample: L2515278-03 Client ID: OUTFALL 6												
Aluminum, Total	0.3957	2	2.422	101		2.331	97		70-130	4		20
Chromium, Total	0.00141	0.2	0.2105	104		0.1985	98		70-130	6		20
Copper, Total	0.00868	0.25	0.2843	110		0.2700	104		70-130	5		20
Iron, Total	0.7085	1	1.798	109		1.736	103		70-130	4		20
Lead, Total	0.00662	0.53	0.5382	100		0.5131	96		70-130	5		20
Nickel, Total	0.00227	0.5	0.5427	108		0.5121	102		70-130	6		20
Zinc, Total	0.04276	0.5	0.6184	115		0.5858	109		70-130	5		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2041737-5 WG2041737-6 QC Sample: L2515278-03 Client ID: OUTFALL 6												
Hardness	118.2	66.2	184.3	100		172.2	82		70-130	7		20

Matrix Spike Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515278

Report Date: 03/18/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2041738-3 WG2041738-4 QC Sample: L2515277-05 Client ID: MS Sample									
Chromium, Dissolved	0.0005J	0.2	0.1965	98	0.1955	98	70-130	1	20
Nickel, Dissolved	0.0009J	0.5	0.4937	99	0.4980	100	70-130	1	20
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2041738-5 WG2041738-6 QC Sample: L2515278-03 Client ID: OUTFALL 6									
Chromium, Dissolved	0.0005J	0.2	0.2000	100	0.1994	100	70-130	0	20
Nickel, Dissolved	0.0012J	0.5	0.5157	103	0.5164	103	70-130	0	20

INORGANICS & MISCELLANEOUS

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-01
Client ID: OUTFALL 9-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 11:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	5.4		mg/l	5.0	NA	1	-	03/18/25 06:41	121,2540D	BAY
Cyanide, Total	0.004	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:10	121,4500CN-CE	JER
Cyanide, Free	0.004	J	mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Nitrogen, Nitrate/Nitrite	0.54		mg/l	0.10	0.046	1	-	03/18/25 06:30	44,353.2	KAF
Chemical Oxygen Demand	23.		mg/l	20	6.0	1	03/18/25 11:00	03/18/25 13:52	44,410.4	CVN
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:28	140,1664B	TPR
Chromium, Hexavalent	0.009	J	mg/l	0.010	0.003	1	03/18/25 07:05	03/18/25 07:26	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-02
Client ID: SF1-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 08:35
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	03/18/25 06:41	121,2540D	BAY
Cyanide, Total	0.003	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:11	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Nitrogen, Nitrate/Nitrite	0.41		mg/l	0.10	0.046	1	-	03/18/25 06:31	44,353.2	KAF
Chemical Oxygen Demand	25.		mg/l	20	6.0	1	03/18/25 11:00	03/18/25 13:52	44,410.4	CVN
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:30	140,1664B	TPR
Chromium, Hexavalent	0.008	J	mg/l	0.010	0.003	1	03/18/25 07:05	03/18/25 07:27	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-03
Client ID: OUTFALL 6
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 09:30
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	03/18/25 06:41	121,2540D	BAY
Cyanide, Total	0.002	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:12	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Nitrogen, Nitrate/Nitrite	1.5		mg/l	0.10	0.046	1	-	03/18/25 06:36	44,353.2	KAF
Chemical Oxygen Demand	17.	J	mg/l	20	6.0	1	03/18/25 11:00	03/18/25 13:53	44,410.4	CVN
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 12:34	140,1664B	TPR
Chromium, Hexavalent	0.005	J	mg/l	0.010	0.003	1	03/18/25 07:05	03/18/25 07:28	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

SAMPLE RESULTS

Lab ID: L2515278-04
Client ID: DUP-01-031725
Sample Location: JENKINTOWN, PA

Date Collected: 03/17/25 00:00
Date Received: 03/17/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	7.5		mg/l	5.0	NA	1	-	03/18/25 06:41	121,2540D	BAY
Cyanide, Total	0.001	J	mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 14:17	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
Nitrogen, Nitrate/Nitrite	0.51		mg/l	0.10	0.046	1	-	03/18/25 06:39	44,353.2	KAF
Chemical Oxygen Demand	27.		mg/l	20	6.0	1	03/18/25 11:00	03/18/25 13:53	44,410.4	CVN
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 13:15	140,1664B	TPR
Chromium, Hexavalent	0.005	J	mg/l	0.010	0.003	1	03/18/25 07:05	03/18/25 07:32	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES

Lab Number: L2515278

Project Number: 658978

Report Date: 03/18/25

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2041691-1										
Nitrogen, Nitrate/Nitrite	ND		mg/l	0.10	0.046	1	-	03/18/25 04:20	44,353.2	KAF
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2041733-1										
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/18/25 07:05	03/18/25 07:24	121,3500CR-B	DMO
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2041750-1										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	03/18/25 06:41	121,2540D	BAY
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2041760-1										
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/18/25 07:05	121,4500CN-E(M)	KAF
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2041826-1										
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/18/25 08:37	03/18/25 10:03	140,1664B	TPR
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2041841-1										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/18/25 10:20	03/18/25 13:51	121,4500CN-CE	JER
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2041890-5										
Chemical Oxygen Demand	ND		mg/l	20	6.0	1	03/18/25 11:00	03/18/25 13:50	44,410.4	CVN



Lab Control Sample Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515278

Report Date: 03/18/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2041691-2								
Nitrogen, Nitrate/Nitrite	102		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2041733-2								
Chromium, Hexavalent	109		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2041750-2								
Solids, Total Suspended	90		-		80-120	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2041760-2								
Cyanide, Free	98		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2041826-2								
Oil & Grease, Hem-Grav	99		-		78-114	-		18
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2041841-2								
Cyanide, Total	96		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2041890-6								
Chemical Oxygen Demand	93		-		90-110	-		

Matrix Spike Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041691-4 QC Sample: L2513938-01 Client ID: MS Sample												
Nitrogen, Nitrate/Nitrite	1.5	4	5.2	92		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041691-6 QC Sample: L2513940-02 Client ID: MS Sample												
Nitrogen, Nitrate/Nitrite	7.8	4	12	105		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041691-8 QC Sample: L2515278-03 Client ID: OUTFALL 6												
Nitrogen, Nitrate/Nitrite	1.5	4	5.4	98		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041733-4 WG2041733-5 QC Sample: L2515278-03 Client ID: OUTFALL 6												
Chromium, Hexavalent	0.005J	0.1	0.099	99		0.100	100		85-115	1		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041760-4 WG2041760-5 QC Sample: L2515278-03 Client ID: OUTFALL 6												
Cyanide, Free	ND	0.25	0.241	96		0.241	96		80-120	0		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041826-4 WG2041826-5 QC Sample: L2515277-05 Client ID: MS Sample												
Oil & Grease, Hem-Grav	ND	39.2	37	94		37	95		78-114	0		18
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041826-6 WG2041826-7 QC Sample: L2515278-03 Client ID: OUTFALL 6												
Oil & Grease, Hem-Grav	ND	39.2	35	90		37	94		78-114	0		18
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041841-3 WG2041841-4 QC Sample: L2515277-05 Client ID: MS Sample												
Cyanide, Total	0.003J	0.2	0.203	102		0.204	102		90-110	1		30

Matrix Spike Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515278

Report Date: 03/18/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041841-6 WG2041841-7 QC Sample: L2515278-03 Client ID: OUTFALL 6									
Cyanide, Total	0.002J	0.2	0.206	103	0.206	103	90-110	0	30
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2041890-7 QC Sample: L2515278-03 Client ID: OUTFALL 6									
Chemical Oxygen Demand	17.J	238	270	114	Q	-	90-110	-	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2041691-3	QC Sample: L2513938-01	Client ID: DUP Sample		
Nitrogen, Nitrate/Nitrite	1.5	1.5	mg/l	0		20
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2041691-5	QC Sample: L2513940-02	Client ID: DUP Sample		
Nitrogen, Nitrate/Nitrite	7.8	7.6	mg/l	3		20
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2041691-7	QC Sample: L2515278-03	Client ID: OUTFALL 6		
Nitrogen, Nitrate/Nitrite	1.5	1.5	mg/l	0		20
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2041733-3	QC Sample: L2515278-03	Client ID: OUTFALL 6		
Chromium, Hexavalent	0.005J	0.004J	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2041750-3	QC Sample: L2515278-03	Client ID: OUTFALL 6		
Solids, Total Suspended	ND	ND	mg/l	NC		32
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2041760-3	QC Sample: L2515278-03	Client ID: OUTFALL 6		
Cyanide, Free	ND	0.004J	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2041826-3	QC Sample: L2515277-05	Client ID: DUP Sample		
Oil & Grease, Hem-Grav	ND	ND	mg/l	NC		18
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2041841-5	QC Sample: L2515277-05	Client ID: DUP Sample		
Cyanide, Total	0.003J	ND	mg/l	NC		30
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2041890-8	QC Sample: L2515278-03	Client ID: OUTFALL 6		
Chemical Oxygen Demand	17.J	19.J	mg/l	NC		20

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Serial_No:03182517:37
Lab Number: L2515278
Report Date: 03/18/25

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent
C	Absent
D	Absent
E	Absent
F	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515278-01A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-01B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-01C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-01D	Plastic 250ml HNO3 preserved	D	<2	<2	2.0	Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),HARDT-2008(180),CU-2008T(180),FE-2008T(180),CR-2008T(180),PB-2008T(180)
L2515278-01E	Plastic 250ml HNO3 preserved	D	<2	<2	2.0	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515278-01F	Plastic 250ml H2SO4 preserved	D	<2	<2	2.0	Y	Absent		NO3/NO2-353(28),COD-410(28)
L2515278-01G	Plastic 250ml NaOH preserved	D	>12	>12	2.0	Y	Absent		TCN-4500(14)
L2515278-01H	Plastic 950ml unpreserved	D	7	7	2.0	Y	Absent		HEXCR-3500(1),FCN(1)
L2515278-01J	Plastic 950ml unpreserved	D	7	7	2.0	Y	Absent		TSS-2540(7)
L2515278-01K	Amber 1L HCl preserved	D	NA		2.0	Y	Absent		OG-1664(28)
L2515278-01L	Amber 1L HCl preserved	D	NA		2.0	Y	Absent		OG-1664(28)
L2515278-02A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-02B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-02C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Serial_No: 03182517:37
Lab Number: L2515278
Report Date: 03/18/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515278-02D	Plastic 250ml HNO3 preserved	C	<2	<2	2.1	Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),HARDT-2008(180),CU-2008T(180),FE-2008T(180),CR-2008T(180),PB-2008T(180)
L2515278-02E	Plastic 250ml HNO3 preserved	C	<2	<2	2.1	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515278-02F	Plastic 250ml H2SO4 preserved	C	<2	<2	2.1	Y	Absent		NO3/NO2-353(28),COD-410(28)
L2515278-02G	Plastic 250ml NaOH preserved	C	>12	>12	2.1	Y	Absent		TCN-4500(14)
L2515278-02H	Plastic 950ml unpreserved	C	7	7	2.1	Y	Absent		HEXCR-3500(1),FCN(1)
L2515278-02J	Plastic 950ml unpreserved	C	7	7	2.1	Y	Absent		TSS-2540(7)
L2515278-02K	Amber 1L HCl preserved	C	NA		2.1	Y	Absent		OG-1664(28)
L2515278-02L	Amber 1L HCl preserved	C	NA		2.1	Y	Absent		OG-1664(28)
L2515278-03A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-03A1	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-03A2	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-03B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-03B1	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-03B2	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-03C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-03C1	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-03C2	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-03D	Plastic 250ml HNO3 preserved	D	<2	<2	2.0	Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDT-2008(180),FE-2008T(180),PB-2008T(180),CR-2008T(180)
L2515278-03D1	Plastic 250ml HNO3 preserved	E	<2	<2	2.6	Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDT-2008(180),FE-2008T(180),PB-2008T(180),CR-2008T(180)
L2515278-03D2	Plastic 250ml HNO3 preserved	E	<2	<2	2.6	Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDT-2008(180),FE-2008T(180),PB-2008T(180),CR-2008T(180)
L2515278-03E	Plastic 250ml HNO3 preserved	D	<2	<2	2.0	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515278-03E1	Plastic 250ml HNO3 preserved	E	<2	<2	2.6	Y	Absent		CR-2008S(180),NI-2008S(180)

*Values in parentheses indicate holding time in days

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Serial_No:03182517:37
Lab Number: L2515278
Report Date: 03/18/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515278-03E2	Plastic 250ml HNO3 preserved	E	<2	<2	2.6	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515278-03F	Plastic 120ml H2SO4 preserved	D	<2	<2	2.0	Y	Absent		COD-410(28)
L2515278-03F1	Plastic 120ml H2SO4 preserved	E	<2	<2	2.6	Y	Absent		COD-410(28)
L2515278-03F2	Plastic 120ml H2SO4 preserved	E	<2	<2	2.6	Y	Absent		COD-410(28)
L2515278-03G	Plastic 250ml NaOH preserved	D	>12	>12	2.0	Y	Absent		TCN-4500(14)
L2515278-03G1	Plastic 250ml NaOH preserved	E	>12	>12	2.6	Y	Absent		TCN-4500(14)
L2515278-03G2	Plastic 250ml NaOH preserved	E	>12	>12	2.6	Y	Absent		TCN-4500(14)
L2515278-03H	Plastic 950ml unpreserved	D	7	7	2.0	Y	Absent		HEXCR-3500(1),FCN(1)
L2515278-03H1	Plastic 950ml unpreserved	E	7	7	2.6	Y	Absent		HEXCR-3500(1),FCN(1)
L2515278-03H2	Plastic 950ml unpreserved	E	7	7	2.6	Y	Absent		HEXCR-3500(1),FCN(1)
L2515278-03J	Plastic 950ml unpreserved	D	7	7	2.0	Y	Absent		TSS-2540(7)
L2515278-03J1	Plastic 950ml unpreserved	E	7	7	2.6	Y	Absent		TSS-2540(7)
L2515278-03J2	Plastic 950ml unpreserved	E	7	7	2.6	Y	Absent		TSS-2540(7)
L2515278-03K	Amber 1L HCl preserved	D	NA		2.0	Y	Absent		NO3/NO2-353(28),OG-1664(28)
L2515278-03K1	Amber 1L HCl preserved	E	NA		2.6	Y	Absent		NO3/NO2-353(28),OG-1664(28)
L2515278-03K2	Amber 1L HCl preserved	E	NA		2.6	Y	Absent		NO3/NO2-353(28),OG-1664(28)
L2515278-03L	Amber 1L HCl preserved	D	NA		2.0	Y	Absent		NO3/NO2-353(28),OG-1664(28)
L2515278-03L1	Amber 1L HCl preserved	E	NA		2.6	Y	Absent		NO3/NO2-353(28),OG-1664(28)
L2515278-03L2	Amber 1L HCl preserved	E	NA		2.6	Y	Absent		NO3/NO2-353(28),OG-1664(28)
L2515278-04A	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-04B	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-04C	Vial Na2S2O3 preserved	F	NA		2.4	Y	Absent		624.1-PPM(7)
L2515278-04D	Plastic 250ml HNO3 preserved	D	<2	<2	2.0	Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDT-2008(180),FE-2008T(180),PB-2008T(180),CR-2008T(180)
L2515278-04E	Plastic 250ml HNO3 preserved	D	<2	<2	2.0	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515278-04F	Plastic 250ml H2SO4 preserved	D	<2	<2	2.0	Y	Absent		NO3/NO2-353(28),COD-410(28)
L2515278-04G	Plastic 250ml NaOH preserved	D	>12	>12	2.0	Y	Absent		TCN-4500(14)
L2515278-04H	Plastic 950ml unpreserved	D	7	7	2.0	Y	Absent		HEXCR-3500(1),FCN(1)

*Values in parentheses indicate holding time in days



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Serial_No:03182517:37
Lab Number: L2515278
Report Date: 03/18/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515278-04J	Plastic 950ml unpreserved	D	7	7	2.0	Y	Absent		TSS-2540(7)
L2515278-04K	Amber 1L HCl preserved	D	NA		2.0	Y	Absent		OG-1664(28)
L2515278-04L	Amber 1L HCl preserved	D	NA		2.0	Y	Absent		OG-1664(28)

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenzo(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515278
Report Date: 03/18/25

REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 44 Methods for the Determination of Inorganic Substances in Environmental Samples, EPA/600/R-93/100, August 1993.
- 107 Calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.
- 140 Method 1664, Revision B: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-10-001, February 2010.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at its own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Pace Analytical Services LLC

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 1 of 2

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

MADEP-APH.**Nonpotable Water:** EPA RSK-175 Dissolved Gases**Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).**Microbiology:** SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.** **EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

Pace Analytical Services LLCID No.: **17873**Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

Certification IDs:**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.



CHAIN OF CUSTODY

PAGE 1 OF 1

WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-3288

Client Information

Client: TRC Environmental Corp.

Address: 1617 John F. Kennedy Blvd

Phone: 267-679-6728

Fax:

Email: SActor@TRCCompanies

☐ These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

ER samples Dissolved metals
field filtered

Project Information

Project Name: SPS Technologies

Project Location: Jenkintown

Project #: 658978

Project Manager: M. A. Arton

ALPHA Quote #:

Turn-Around Time

☐ Standard ☐ RUSH (only confirmed if pre-approved!)

Date Due: _____ Time: _____

Date Rec'd in Lab: 3/18/25

Report Information - Data Deliverables

☐ FAX ☒ EMAIL
☐ ADEx ☐ Add'l Deliverables

Regulatory Requirements/Report Limits

State /Fed Program	Criteria
--------------------	----------

ALPHA Jo

L2515278
TRC - PA - ER

Billing Info

<input type="checkbox"/> Same as Client info	PO #: 228588
--	--------------

SAMPLE HANDLING

Filtration _____
☐ Done
☐ Not needed
☐ Lab to do
 Preservation _____
☐ Lab to do
 (Please specify below)

Sample Specific Comments

TOTAL N BOTTLES

[illegible]

Container Type

Preservative

Relinquished By:

Date/Time

Received By:

Date/Time

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.