



SPS TECHNOLOGIES - ABINGTON PA SURFACE WATER SAMPLING RESULTS REPORT FOR APRIL 21, 2025

PREPARED FOR:
SPS TECHNOLOGIES

PREPARED BY:
TRC ENVIRONMENTAL CORPORATION, INC
1617 JFK BOULEVARD, SUITE 510
PHILADELPHIA, PA 19103

APRIL 24, 2025

TABLE OF CONTENTS

	Page No.
1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION	2
2.1 BACKGROUND.....	2
3.0 OFF-SITE SURFACE WATER INVESTIGATION.....	3
3.1 SURFACE WATER SAMPLING METHODOLOGY	3
3.2 SURFACE WATER SAMPLING.....	3
3.3 SURFACE WATER SAMPLING RESULTS	3
4.0 DATA QUALITY ASSURANCE/QUALITY CONTROL MANAGEMENT.....	4
4.1 FIELD QUALITY ASSURANCE/QUALITY CONTROL REQUIREMENTS.	4
4.2 ANALYTICAL QA/QC SAMPLES	4
4.3 DATA EVALUATION	4
4.4 REFERENCES	4

Figures

- Figure 1: On-Site Investigation Surface Water and Outfall Sampling Locations
Figure 2: Off-Site Investigation Surface Water Locations

Table

- Table 1: Surface Water Analytical Results

Appendices

- Appendix A: Surface Water Field Information Form
Appendix B: Data Validation Report
Appendix C: Laboratory Analytical Report

1.0 EXECUTIVE SUMMARY

TRC Environmental Corporation, on behalf of SPS Technologies Abington PA (SPS), collected three surface water samples accordance with the TRC Surface Water and Outfall Sampling Plan revised on March 25, 2025 (Sampling Plan). The samples were collected on April 21, 2025 and submitted to a Pennsylvania-certified analytical laboratory for analysis. The sample locations are shown in the attached **Figures 1** and **2** and the results of the analysis are shown below. Please note, outfalls were not sampled during this sampling event because there was not a qualifying precipitation event.

Surface Water		Upstream Offsite SW Sample Location 2	SW Sample Location 3	SW Sample Location 3 (Duplicate)	High School Road Sample Location 4
Parameter	Units	Result	Result	Result	Result
General Chemistry					
Chromium, Trivalent	mg/L	ND	ND	ND	ND
Chromium, Hexavalent	mg/L	ND	ND	ND	ND
Total Cyanide	mg/L	ND	0.002 J	ND	ND
Free Cyanide	mg/L	ND UJ	0.004 J	0.005 J	ND UJ
Oil & Grease	mg/L	ND	ND	ND	ND
Total Metals					
Total Chromium	mg/L	ND	0.00025 J	0.00020 J	ND
Total Nickel	mg/L	0.00112 J	0.00077 J	0.00071 J	0.00119 J
Dissolved Metals					
Dissolved Chromium	mg/L	ND	0.0002 J	0.0002 J	0.0002 J
Dissolved Nickel	mg/L	0.0012 J	0.0008 J	0.0007 J	0.0013 J
Total Hardness					
Hardness	mg/L	236.7	201.2	200.6	193.1
Field Parameters					
pH	SU	7.35	7.74	7.74	6.24

A detailed description of the sampling procedure, results, and data evaluation are included in this Sampling Report. The laboratory data validation reports and the complete laboratory analytical reports, including Quality Assurance/Quality Control (QA/QC) are attached.

2.0 INTRODUCTION

This Surface Water Sampling Results Report for April 21, 2025 (Sampling Report) was prepared by TRC Environmental Corporation, Inc., (TRC) on behalf of SPS Technologies Abington PA (SPS). The SPS facility is located at 301 Highland Avenue, Jenkintown, PA 19046 (Site). This Sampling Report was prepared to provide the off-Site surface water sampling results from April 21, 2025, which were collected in accordance with the TRC Surface Water and Outfall Sampling Plan revised on March 25, 2025 and approved by the PADEP on April 2, 2025.

2.1 Background

The Site is currently owned by SPS Technologies. On February 17, 2025, a fire broke out at the facility causing major damage and a cessation of operation. Prior to the fire, facility operations consisted of manufacturing of bolts, nuts, screws, rivets, washers, furniture, and fixtures.

3.0 OFF-SITE SURFACE WATER INVESTIGATION

TRC collected three surface water samples at the approved upstream and downstream sampling locations along the Tookany and Tacony Creeks on April 21, 2025. The locations are located northeast from the facility and downstream from the conjoined stream south from the facility. Outfalls were not sampled during this event because there was not a qualifying precipitation event.

3.1 Surface Water Sampling Methodology

TRC collected the surface water samples in accordance with the Sampling Plan. Field data collected from each surface water during the sampling include:

- Water depth
- Weather conditions
- Physical characteristics (clarity, appearance, odor)
- Water Quality (DO, pH, OPR, turbidity, conductivity, and temperature)
- Water velocity (visibly moving)

The field data is documented in the daily field sampling form included as **Appendix A**, except for the in-field pH measurement, which is summarized in **Table 1**.

3.2 Surface Water Sampling

All samples were submitted to Pace Analytical in Westborough, Massachusetts (Certification No. 68-03671) and Pace Analytical in Mansfield, Massachusetts (Certification No. 68-02089), following chain-of-custody protocols.

3.3 Surface Water Sampling Results

Surface water samples were collected from the five approved locations in accordance with Sampling Plan for the following parameters:

- Oil & Grease
- Free Cyanide
- Total Cyanide
- Total Nickel
- Dissolved Nickel
- Total Chromium
- Dissolved Chromium
- Hexavalent Chromium (calculated for Trivalent Chromium)
- Total Hardness

The validated analytical results are summarized in **Table 1**. The sampling locations are shown on **Figures 1 and 2**.

4.0 DATA QUALITY ASSURANCE/QUALITY CONTROL MANAGEMENT

4.1 Field Quality Assurance/Quality Control Requirements.

Field personnel performed data quality control (QC) verification of field measurements. This process includes equipment calibration, reviewing calibration records, and duplicate readings to ensure data accuracy. Field measurements were documented in the field information form included as **Appendix A** and pH readings are summarized in **Table 1**.

All hand equipment used during the sampling event was cleaned with Alconox and distilled water. Disposable equipment was used for sample collection and processing as appropriate. Field personnel wore disposable nitrile sampling gloves during sampling activities. Sampling gloves were discarded following collection at each sample location and replaced before handling decontaminated equipment or work surfaces.

4.2 Analytical QA/QC Samples

All quality assurance and quality control (QA/QC), field duplicates and matrix spikes/matrix spike duplicates (MS/MSD) were collected in accordance with the Sampling Plan at a rate of 1 per 20 samples per day. A trip blank was included daily for volatile organic compounds (VOCs). A field blank was not collected because single-use disposable ladles were used to collect samples.

4.3 Data Evaluation

The reliability of the analytical data was evaluated to assess its suitability for use in off-Site surface water monitoring. In particular, the data's precision, accuracy, and sensitivity were evaluated based on field sampling documentation, adherence to sample holding times, and analysis of the QC samples (duplicates, spikes, and blanks). Data validation was performed in accordance with the Sampling Plan. The data validation report is included as **Appendix B**. The laboratory analytical report is included as **Appendix C**.


4.4 References


- SPS Technologies Surface Water and Outfall Sampling Plan, revised on March 25, 2025


11x17 -- USER: Mgiambattista -- ATTACHED REF'S -- ATTACHED IMAGES:
DRAWING NAME: C:\Users\mgiambattista\OneDrive - TRC\Desktop\ Drawings\3_1_16555_a55aae24.dwg --- PLOT DATE: March 19, 2025 - 2:29PM --- LAYOUT: dwg 1


SOURCE
NEARMAP IMAGERY, JUNE 16, 2024.

LEGEND
SW = SURFACE WATER

 SURFACE WATER SAMPLE LOCATION


 APPROXIMATE OUTFALL SAMPLE LOCATION





PROJECT:		SPS TECHNOLOGIES 301 HIGHLAND AVENUE JENKINTOWN, PA	
TITLE: ONSITE INVESTIGATION SURFACE WATER AND OUTFALL SAMPLING LOCATIONS			
DRAWN BY: M. GIAMBATTISTA		PROJ NO.: 658978.0000	
CHECKED BY: J. ACTON		FIGURE 1	
APPROVED BY: D. CARLSON			
DATE: MARCH 2025			
 TRC		1617 JOHN F. KENNEDY BLVD. SUITE 510 PHILADELPHIA, PA 19103	
FILE NO.:		Drawing3_1_16555_a55aae24.dwg	

11x17 -- USER: Mgiambattista -- ATTACHED REF'S -- ATTACHED IMAGES:
DRAWING NAME: C:\Program Files\Autodesk\AutoCAD 2021\Drawing3.dwg -- PLOT DATE: March 14, 2025 - 12:25PM -- LAYOUT: dwg 1 (2)

SOURCE
GEOMAP IMAGERY, 2025.

LEGEND
SW = SURFACE WATER
 SURFACE WATER SAMPLE LOCATION



PROJECT:		SPS TECHNOLOGIES 301 HIGHLAND AVENUE JENKINTOWN, PA	
TITLE:		OFFSITE SURFACE WATER SAMPLING LOCATIONS	
DRAWN BY:	M. GIAMBATTISTA	PROJ NO.:	658978.0000
CHECKED BY:	J. ACTON	FIGURE 1	
APPROVED BY:	D. CARLSON		
DATE:	MARCH 2025		
 TRC		1617 JOHN F. KENNEDY BLVD. SUITE 510 PHILADELPHIA, PA 19103	
FILE NO.:		Drawing3.dwg	

April 2025

Table 1

Surface Water Analytical Results
Daily Surface Water Sampling Results Report SPS Technologies
Jenkintown, Pennsylvania

Project Number: 658978

Sample Location		Upstream Offsite SW Sample Location 2				SW Sample Location 3				SW Sample Location 3 (Duplicate)				High School Road Sample Location 4			
Field Sample ID		SW2-042125				SW3-042125				DUP-042125				SW4-042125			
Lab Sample ID		L2524376-01				L2524376-02				L2524376-04				L2524376-03			
Sampling Date		4/21/2025				4/21/2025				4/21/2025				4/21/2025			
Matrix		Water				Water				Water				Water			
Parameter	Units	Result	Q	RL	MDL	Result	Q	RL	MDL	Result	Q	RL	MDL	Result	Q	RL	MDL
General Chemistry																	
Chromium, Trivalent	mg/L	ND		0.010	0.003	ND		0.010	0.003	ND		0.010	0.003	ND		0.010	0.003
Chromium, Hexavalent	mg/L	ND		0.010	0.003	ND		0.010	0.003	ND		0.010	0.003	ND		0.010	0.003
Total Cyanide	mg/L	ND		0.005	0.001	0.002	J	0.005	0.001	ND		0.005	0.001	ND		0.005	0.001
Free Cyanide	mg/L	ND	UJ	0.010	0.003	0.004	J	0.010	0.003	0.005	J	0.010	0.003	ND	UJ	0.010	0.003
Oil & Grease	mg/L	ND		4.0	4.0	ND		4.0	4.0	ND		4.0	4.0	ND		4.0	4.0
Total Metals																	
Total Chromium	mg/L	ND		0.00100	0.00017	0.00025	J	0.00100	0.00017	0.00020	J	0.00100	0.00017	ND		0.00100	0.00017
Total Nickel	mg/L	0.00112	J	0.00200	0.00055	0.00077	J	0.00200	0.00055	0.00071	J	0.00200	0.00055	0.00119	J	0.00200	0.00055
Dissolved Metals																	
Dissolved Chromium	mg/L	ND		0.0010	0.0002	0.0002	J	0.0010	0.0002	0.0002	J	0.0010	0.0002	0.0002	J	0.0010	0.0002
Dissolved Nickel	mg/L	0.0012	J	0.0020	0.0006	0.0008	J	0.0020	0.0006	0.0007	J	0.0020	0.0006	0.0013	J	0.0020	0.0006
Total Hardness																	
Hardness	mg/L	236.7		0.5400	---	201.2		0.5400	---	200.6		0.5400	---	193.1		0.5400	---
Field Parameters																	
pH ¹	SU	7.35				7.74				7.74				6.24			

Notes:

1.) Field measurements for pH were performed by TRC field personnel prior to sample collection using a Horiba U-52. Field measurements were not validated.

Abbreviations:

mg/L: milligrams per liter

ND: Non-Detect

Q: Qualifier

RL: Reporting Limit

SU: Standard Units

MDL: Method Detection Limit

Qualifiers:

J: Estimated Result

U: Estimated RL

Created By: JM 4/23/25 Checked By: MO 4/23/25

Date: _____

SURFACE WATER/OUTFALL SAMPLE FIELD INFORMATION FORM

PROJECT NUMBER 658978

SPS
Local: Abington PA
Project Number: 658938
Water Quality: HOBBS U-50
Meter Calibrated @: 4/21/2005 @ 10108603X
Flow Meter: 0.11 MFD @ 337966
Sampling Date/Time: SW4 @ 1030 SW2 @ 1130 SW3 @ 1200
DUP: 042133 @ 0000
Sampler(s): J. Switzer
Sampling Device: Tele-logging Dipper pole
Sample Character: Clear No odor
Analytical Parameters:

Fish observed at SW4
 Males observed at SW7
 MS/MSD collected on SW4
 Dyo-042125 collected on SW3
 SW Green, and a turtle observed at SW3
 200 00 97 21/10/2001

Weather Conditions: cloudy H 68 L 49

[illegible]

Data Validation Report

Site: SPS Technologies, Surface Water Sampling
Laboratory: Pace Analytical, Westborough and Mansfield, MA
SDG No.: L2524376
Parameters: Select Metals, Hardness, Total Cyanide, Free Cyanide, Oil & Grease, Hexavalent Chromium, Trivalent Chromium
Data Reviewer: Jessica Esser/TRC
Peer Reviewer: Elizabeth Denly/TRC
Date: April 22, 2025

Samples Reviewed and Evaluation Summary

4 Surface Water Samples: SW2-042125, SW3-042125, SW4-042125, DUP-042125¹

¹Field duplicate of SW3-042125

The above-listed samples were collected on April 21, 2025 and were analyzed for the following parameters.

- Select total and dissolved metals (chromium, nickel) using EPA Method 200.8
- Total hardness (by calculation) using EPA Method 200.8
- Total cyanide using Standard Methods (SM) 4500 CN-CE
- Free cyanide using SM 4500 CN-E (M)
- Oil and grease using EPA Method 1664B
- Hexavalent chromium using SM 3500 CR-B
- Trivalent chromium by calculation

Limited data validation was performed in accordance with *USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (EPA-542-R-20-006)*, November 2020, modified for the methodologies utilized.

The data were evaluated based on the following parameters:

- Overall Evaluation of Data and Potential Usability Issues
- * • Data Completeness
- * • Holding Times and Sample Preservation
- * • Blanks
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results
- * • Laboratory Duplicate Results
- * • Laboratory Control Sample (LCS) Results
- * • Field Duplicate Results
- Sample Results and Reported Quantitation Limits (QLs)
- * - All criteria were met.

Overall Evaluation of Data and Potential Usability Issues

All results are usable for project objectives. Qualification of the data as a result of sampling error was not required. Qualifications applied to the data as a result of analytical error are discussed below.

- Potential uncertainty exists for select metals, total cyanide, and free cyanide results that were below the lowest calibration standard and QL. These results were qualified as estimated (J)

by the laboratory in the associated samples. These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.

- The positive results for free cyanide in samples SW3-042125 and DUP-042125 were qualified as estimated (J) due to low MS/MSD percent recoveries (%Rs) and detection <QL. The nondetect results for free cyanide in samples SW2-042125 and SW4-04-2125 were qualified as estimated (UJ) due to low MS/MSD %Rs. These results can be used for project objectives as estimated values or nondetects with estimated QLs, which may have a minor impact on the data usability.

Data Completeness

The data package was a complete Level 2 data package.

Holding Times and Sample Preservation

All holding time and preservation criteria were met for all parameters.

Blanks

Target analytes were not detected in the associated method blanks. A field blank was not submitted with the data set.

MS/MSD Results

MS/MSD analyses were performed on sample SW4-042125 for total and dissolved metals, hardness, total cyanide, free cyanide, oil and grease, and hexavalent chromium. With the exception of free cyanide, all criteria were met. The %Rs for free cyanide in the MS/MSD (73%/74%) performed on sample SW4-042125 were below the laboratory acceptance criteria (80-120%). Therefore, the positive and nondetect results for free cyanide in samples SW2-042125, SW3-042125, SW4-042125, and DUP-042125 were qualified as estimated (J/UJ). No direction of bias was applied to the positive results since these results were also qualified as estimated (J) by the laboratory due to detection <QL.

Laboratory Duplicate Results

Laboratory duplicate analyses were performed on sample SW4-042125 for oil and grease, total cyanide, and free cyanide and on sample DUP-042125 for hexavalent chromium. All criteria were met.

LCS Results

All criteria were met for all parameters.

Field Duplicate Results

Samples SW3-042125 and DUP-042125 were submitted as the field duplicate pair with this sample set. The following table summarizes the relative percent differences (RPDs) and/or absolute differences (AbsDs), where applicable, of the detected analytes. The QL was used in the calculation of the AbsD for nondetect (ND) results. All criteria were met.

Analyte	QL(s) (mg/L)	SW3-042125 (mg/L)	DUP-042125 (mg/L)	RPD (%) or AbsD (mg/L)	Validation Action
Total Chromium	0.001	0.00025 J	0.00020 J	AbsD = 0.00005	None; all criteria were met.
Total Nickel	0.002	0.00077 J	0.00071 J	AbsD = 0.00006	
Hardness	0.54	201.2	200.6	RPD = 0.3	
Dissolved Chromium	0.001	0.0002 J	0.0002 J	AbsD = 0	
Dissolved Nickel	0.002	0.0008 J	0.0007 J	AbsD = 0.0001	
Total Cyanide	0.005	0.002 J	ND	AbsD = 0.003	
Free Cyanide	0.010	0.004 J	0.005 J	AbsD = 0.001	

Field duplicate criteria are as follows:

- $RPD \leq 30$ when positive results for both samples are $\geq 5x$ QL
- $AbsD \leq QL$ when one or both results are $< 5x$ QL

Sample Results and Reported Quantitation Limits

Select metals, total cyanide, and free cyanide results were reported that were below the lowest calibration standard level and QL. These results were qualified as estimated (J) in the associated samples by the laboratory.

There were no dilutions performed on the samples in this data set.

The total and dissolved metal results were evaluated during data validation to identify any dissolved concentrations that were significantly higher than the associated total concentration. The evaluation was based on the following criteria to determine significance: percent difference (%D) should be $\leq 20\%$ when dissolved results are greater than total results and both results are $\geq 5x$ the QL. If the dissolved result was $>$ the total and one or both results were $< 5x$ the QL, then the AbsD should be $\leq 2x$ the QL. These criteria were met for all samples.

QUALIFIED FORM 1s

METALS

Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**SAMPLE RESULTS**

Lab ID: L2524376-01

Date Collected: 04/21/25 11:30

Client ID: SW2-042125

Date Received: 04/21/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	ND		mg/l	0.00100	0.00017	1	04/22/25 07:52	04/22/25 11:31	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00112	J	mg/l	0.00200	0.00055	1	04/22/25 07:52	04/22/25 11:31	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	236.7		mg/l	0.5400	NA	1	04/22/25 07:52	04/22/25 11:31	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		04/22/25 11:31	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	04/22/25 07:52	04/22/25 11:34	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0012	J	mg/l	0.0020	0.0006	1	04/22/25 07:52	04/22/25 11:34	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**SAMPLE RESULTS**

Lab ID: L2524376-02

Date Collected: 04/21/25 12:00

Client ID: SW3-042125

Date Received: 04/21/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00025	J	mg/l	0.00100	0.00017	1	04/22/25 07:52	04/22/25 11:36	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00077	J	mg/l	0.00200	0.00055	1	04/22/25 07:52	04/22/25 11:36	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	201.2		mg/l	0.5400	NA	1	04/22/25 07:52	04/22/25 11:36	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		04/22/25 11:36	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0002	J	mg/l	0.0010	0.0002	1	04/22/25 07:52	04/22/25 11:39	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0008	J	mg/l	0.0020	0.0006	1	04/22/25 07:52	04/22/25 11:39	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**SAMPLE RESULTS**

Lab ID: L2524376-03

Date Collected: 04/21/25 10:30

Client ID: SW4-042125

Date Received: 04/21/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	ND		mg/l	0.00100	0.00017	1	04/22/25 07:52	04/22/25 12:09	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00119	J	mg/l	0.00200	0.00055	1	04/22/25 07:52	04/22/25 12:09	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	193.1		mg/l	0.5400	NA	1	04/22/25 07:52	04/22/25 12:09	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		04/22/25 12:09	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0002	J	mg/l	0.0010	0.0002	1	04/22/25 07:52	04/22/25 12:06	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0013	J	mg/l	0.0020	0.0006	1	04/22/25 07:52	04/22/25 12:06	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**SAMPLE RESULTS**

Lab ID: L2524376-04

Date Collected: 04/21/25 00:00

Client ID: DUP-042125

Date Received: 04/21/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00020	J	mg/l	0.00100	0.00017	1	04/22/25 07:52	04/22/25 11:40	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00071	J	mg/l	0.00200	0.00055	1	04/22/25 07:52	04/22/25 11:40	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	200.6		mg/l	0.5400	NA	1	04/22/25 07:52	04/22/25 11:40	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		04/22/25 11:40	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0002	J	mg/l	0.0010	0.0002	1	04/22/25 07:52	04/22/25 11:43	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0007	J	mg/l	0.0020	0.0006	1	04/22/25 07:52	04/22/25 11:43	EPA 3005A	3,200.8	BLR



INORGANICS & MISCELLANEOUS

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

SAMPLE RESULTS

Lab ID: L2524376-01
Client ID: SW2-042125
Sample Location: JENKINTOWN, PA

Date Collected: 04/21/25 11:30
Date Received: 04/21/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	04/22/25 06:30	04/22/25 13:05	121,4500CN-CE	JER
Cyanide, Free	ND	UJ	mg/l	0.010	0.003	1	-	04/22/25 08:20	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	04/22/25 09:07	04/22/25 12:58	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	04/22/25 05:45	04/22/25 06:21	121,3500CR-B	CAR



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

SAMPLE RESULTS

Lab ID: L2524376-02

Client ID: SW3-042125

Sample Location: JENKINTOWN, PA

Date Collected: 04/21/25 12:00

Date Received: 04/21/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.002	J	mg/l	0.005	0.001	1	04/22/25 06:30	04/22/25 13:06	121,4500CN-CE	JER
Cyanide, Free	0.004	J J	mg/l	0.010	0.003	1	-	04/22/25 08:20	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	04/22/25 09:07	04/22/25 13:03	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	04/22/25 05:45	04/22/25 06:21	121,3500CR-B	CAR



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

SAMPLE RESULTS

Lab ID: L2524376-03

Client ID: SW4-042125

Sample Location: JENKINTOWN, PA

Date Collected: 04/21/25 10:30

Date Received: 04/21/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	04/22/25 06:30	04/22/25 13:07	121,4500CN-CE	JER
Cyanide, Free	ND	UJ	mg/l	0.010	0.003	1	-	04/22/25 08:20	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	04/22/25 09:07	04/22/25 10:36	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	04/22/25 05:45	04/22/25 06:21	121,3500CR-B	CAR



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

SAMPLE RESULTS

Lab ID: L2524376-04

Client ID: DUP-042125

Sample Location: JENKINTOWN, PA

Date Collected: 04/21/25 00:00

Date Received: 04/21/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	04/22/25 06:30	04/22/25 13:13	121,4500CN-CE	JER
Cyanide, Free	0.005	J J	mg/l	0.010	0.003	1	-	04/22/25 08:20	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	04/22/25 09:07	04/22/25 12:54	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	04/22/25 05:45	04/22/25 06:21	121,3500CR-B	CAR





ANALYTICAL REPORT

Lab Number:	L2524376
Client:	TRC Environmental 1617 JFK Blvd. Suite 510 Philadelphia, PA 19103
ATTN:	Julie Acton
Phone:	(215) 563-2122
Project Name:	SPS TECHNOLOGIES
Project Number:	658978
Report Date:	04/22/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2524376-01	SW2-042125	WATER	JENKINTOWN, PA	04/21/25 11:30	04/21/25
L2524376-02	SW3-042125	WATER	JENKINTOWN, PA	04/21/25 12:00	04/21/25
L2524376-03	SW4-042125	WATER	JENKINTOWN, PA	04/21/25 10:30	04/21/25
L2524376-04	DUP-042125	WATER	JENKINTOWN, PA	04/21/25 00:00	04/21/25

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Cyanide, Free

The WG2056947-4/-5 MS/MSD recoveries performed on L2524376-03 are outside the acceptance criteria for cyanide, free (73%/74%); however, the associated LCS recovery is within criteria. No further action was taken.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Kelly O'Neill

Title: Technical Director/Representative

Date: 04/22/25

METALS

Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**SAMPLE RESULTS**

Lab ID: L2524376-01

Date Collected: 04/21/25 11:30

Client ID: SW2-042125

Date Received: 04/21/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	ND		mg/l	0.00100	0.00017	1	04/22/25 07:52	04/22/25 11:31	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00112	J	mg/l	0.00200	0.00055	1	04/22/25 07:52	04/22/25 11:31	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	236.7		mg/l	0.5400	NA	1	04/22/25 07:52	04/22/25 11:31	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		04/22/25 11:31	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	04/22/25 07:52	04/22/25 11:34	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0012	J	mg/l	0.0020	0.0006	1	04/22/25 07:52	04/22/25 11:34	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**SAMPLE RESULTS**

Lab ID: L2524376-02

Date Collected: 04/21/25 12:00

Client ID: SW3-042125

Date Received: 04/21/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00025	J	mg/l	0.00100	0.00017	1	04/22/25 07:52	04/22/25 11:36	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00077	J	mg/l	0.00200	0.00055	1	04/22/25 07:52	04/22/25 11:36	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	201.2		mg/l	0.5400	NA	1	04/22/25 07:52	04/22/25 11:36	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		04/22/25 11:36	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0002	J	mg/l	0.0010	0.0002	1	04/22/25 07:52	04/22/25 11:39	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0008	J	mg/l	0.0020	0.0006	1	04/22/25 07:52	04/22/25 11:39	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**SAMPLE RESULTS**

Lab ID: L2524376-03

Date Collected: 04/21/25 10:30

Client ID: SW4-042125

Date Received: 04/21/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	ND		mg/l	0.00100	0.00017	1	04/22/25 07:52	04/22/25 12:09	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00119	J	mg/l	0.00200	0.00055	1	04/22/25 07:52	04/22/25 12:09	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	193.1		mg/l	0.5400	NA	1	04/22/25 07:52	04/22/25 12:09	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		04/22/25 12:09	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0002	J	mg/l	0.0010	0.0002	1	04/22/25 07:52	04/22/25 12:06	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0013	J	mg/l	0.0020	0.0006	1	04/22/25 07:52	04/22/25 12:06	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**SAMPLE RESULTS**

Lab ID: L2524376-04

Date Collected: 04/21/25 00:00

Client ID: DUP-042125

Date Received: 04/21/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00020	J	mg/l	0.00100	0.00017	1	04/22/25 07:52	04/22/25 11:40	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00071	J	mg/l	0.00200	0.00055	1	04/22/25 07:52	04/22/25 11:40	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	200.6		mg/l	0.5400	NA	1	04/22/25 07:52	04/22/25 11:40	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		04/22/25 11:40	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0002	J	mg/l	0.0010	0.0002	1	04/22/25 07:52	04/22/25 11:43	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0007	J	mg/l	0.0020	0.0006	1	04/22/25 07:52	04/22/25 11:43	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES

Lab Number: L2524376

Project Number: 658978

Report Date: 04/22/25

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG2056867-1										
Chromium, Total	ND		mg/l	0.00100	0.00017	1	04/22/25 07:52	04/22/25 12:05	3,200.8	BLR
Nickel, Total	ND		mg/l	0.00200	0.00055	1	04/22/25 07:52	04/22/25 12:05	3,200.8	BLR

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness (by calculation) - Mansfield Lab for sample(s): 01-04 Batch: WG2056867-1										
Hardness	ND		mg/l	0.5400	NA	1	04/22/25 07:52	04/22/25 12:05	3,200.8	BLR

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab for sample(s): 01-04 Batch: WG2056868-1										
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	04/22/25 07:52	04/22/25 12:01	3,200.8	BLR
Nickel, Dissolved	ND		mg/l	0.0020	0.0006	1	04/22/25 07:52	04/22/25 12:01	3,200.8	BLR

Prep Information

Digestion Method: EPA 3005A



Lab Control Sample Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG2056867-2								
Chromium, Total	90		-		85-115	-		
Nickel, Total	100		-		85-115	-		
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-04 Batch: WG2056867-2								
Hardness	94		-		85-115	-		
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG2056868-2								
Chromium, Dissolved	92		-		85-115	-		
Nickel, Dissolved	101		-		85-115	-		

Matrix Spike Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2056867-3 WG2056867-4 QC Sample: L2524376-03 Client ID: SW4-042125												
Chromium, Total	ND	0.2	0.1758	88		0.1777	89		70-130	1		20
Nickel, Total	0.00119J	0.5	0.4943	99		0.4916	98		70-130	1		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2056867-3 WG2056867-4 QC Sample: L2524376-03 Client ID: SW4-042125												
Hardness	193.1	66.2	248.0	83		250.6	87		70-130	1		20
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2056868-3 WG2056868-4 QC Sample: L2524376-03 Client ID: SW4-042125												
Chromium, Dissolved	0.0002J	0.2	0.1906	95		0.1878	94		70-130	1		20
Nickel, Dissolved	0.0013J	0.5	0.5171	103		0.4876	98		70-130	6		20

INORGANICS & MISCELLANEOUS

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

SAMPLE RESULTS

Lab ID: L2524376-01
Client ID: SW2-042125
Sample Location: JENKINTOWN, PA

Date Collected: 04/21/25 11:30
Date Received: 04/21/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	04/22/25 06:30	04/22/25 13:05	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	04/22/25 08:20	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	04/22/25 09:07	04/22/25 12:58	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	04/22/25 05:45	04/22/25 06:21	121,3500CR-B	CAR



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

SAMPLE RESULTS

Lab ID: L2524376-02

Client ID: SW3-042125

Sample Location: JENKINTOWN, PA

Date Collected: 04/21/25 12:00

Date Received: 04/21/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.002	J	mg/l	0.005	0.001	1	04/22/25 06:30	04/22/25 13:06	121,4500CN-CE	JER
Cyanide, Free	0.004	J	mg/l	0.010	0.003	1	-	04/22/25 08:20	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	04/22/25 09:07	04/22/25 13:03	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	04/22/25 05:45	04/22/25 06:21	121,3500CR-B	CAR



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

SAMPLE RESULTS

Lab ID: L2524376-03

Client ID: SW4-042125

Sample Location: JENKINTOWN, PA

Date Collected: 04/21/25 10:30

Date Received: 04/21/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	04/22/25 06:30	04/22/25 13:07	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	04/22/25 08:20	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	04/22/25 09:07	04/22/25 10:36	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	04/22/25 05:45	04/22/25 06:21	121,3500CR-B	CAR



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

SAMPLE RESULTS

Lab ID: L2524376-04

Client ID: DUP-042125

Sample Location: JENKINTOWN, PA

Date Collected: 04/21/25 00:00

Date Received: 04/21/25

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	04/22/25 06:30	04/22/25 13:13	121,4500CN-CE	JER
Cyanide, Free	0.005	J	mg/l	0.010	0.003	1	-	04/22/25 08:20	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	04/22/25 09:07	04/22/25 12:54	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	04/22/25 05:45	04/22/25 06:21	121,3500CR-B	CAR



Project Name: SPS TECHNOLOGIES

Lab Number: L2524376

Project Number: 658978

Report Date: 04/22/25

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2056837-1										
Cyanide, Total	ND		mg/l	0.005	0.001	1	04/22/25 06:30	04/22/25 13:01	121,4500CN-CE	JER
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2056847-1										
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	04/22/25 05:45	04/22/25 06:20	121,3500CR-B	CAR
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2056947-1										
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	04/22/25 08:20	121,4500CN-E(M)	MRM
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2056995-1										
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	04/22/25 09:07	04/22/25 10:32	140,1664B	TPR



Lab Control Sample Analysis **Batch Quality Control**

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2056837-2								
Cyanide, Total	97		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2056847-2								
Chromium, Hexavalent	101		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2056947-2								
Cyanide, Free	101		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2056995-2								
Oil & Grease, Hem-Grav	97		-		78-114	-		18

Matrix Spike Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2524376

Report Date: 04/22/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2056837-3 WG2056837-4 QC Sample: L2524376-03 Client ID: SW4-042125												
Cyanide, Total	ND	0.2	0.201	100		0.212	106		90-110	5		30
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2056847-4 WG2056847-5 QC Sample: L2524376-03 Client ID: SW4-042125												
Chromium, Hexavalent	ND	0.1	0.102	102		0.102	102		85-115	0		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2056947-4 WG2056947-5 QC Sample: L2524376-03 Client ID: SW4-042125												
Cyanide, Free	ND	0.25	0.182	73	Q	0.184	74	Q	80-120	1		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2056995-4 WG2056995-5 QC Sample: L2524376-03 Client ID: SW4-042125												
Oil & Grease, Hem-Grav	ND	39.2	39	100		38	98		78-114	2		18

Lab Duplicate Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2056837-5 QC Sample: L2524376-03 Client ID: SW4-042125						
Cyanide, Total	ND	ND	mg/l	NC		30
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2056847-3 QC Sample: L2524376-04 Client ID: DUP-042125						
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2056947-3 QC Sample: L2524376-03 Client ID: SW4-042125						
Cyanide, Free	ND		mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2056995-3 QC Sample: L2524376-03 Client ID: SW4-042125						
Oil & Grease, Hem-Grav	ND	ND	mg/l	NC		18

Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2524376-01A	Plastic 250ml HNO3 preserved	B	<2	<2	2.1	Y	Absent		CR-2008S(180),NI-2008S(180)
L2524376-01B	Plastic 250ml HNO3 preserved	B	<2	<2	2.1	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2524376-01C	Plastic 250ml NaOH preserved	B	>12	>12	2.1	Y	Absent		TCN-4500(14)
L2524376-01D	Plastic 500ml unpreserved	B	7	7	2.1	Y	Absent		HEXCR-3500(1),FCN(1)
L2524376-01E	Amber 1L HCl preserved	B	NA		2.1	Y	Absent		OG-1664(28)
L2524376-01F	Amber 1L HCl preserved	B	NA		2.1	Y	Absent		OG-1664(28)
L2524376-02A	Plastic 250ml HNO3 preserved	B	<2	<2	2.1	Y	Absent		CR-2008S(180),NI-2008S(180)
L2524376-02B	Plastic 250ml HNO3 preserved	B	<2	<2	2.1	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2524376-02C	Plastic 250ml NaOH preserved	B	>12	>12	2.1	Y	Absent		TCN-4500(14)
L2524376-02D	Plastic 500ml unpreserved	B	7	7	2.1	Y	Absent		HEXCR-3500(1),FCN(1)
L2524376-02E	Amber 1L HCl preserved	B	NA		2.1	Y	Absent		OG-1664(28)
L2524376-02F	Amber 1L HCl preserved	B	NA		2.1	Y	Absent		OG-1664(28)
L2524376-03A	Plastic 250ml HNO3 preserved	A	<2	<2	2.3	Y	Absent		CR-2008S(180),NI-2008S(180)
L2524376-03A1	Plastic 250ml HNO3 preserved	A	<2	<2	2.3	Y	Absent		CR-2008S(180),NI-2008S(180)
L2524376-03A2	Plastic 250ml HNO3 preserved	A	<2	<2	2.3	Y	Absent		CR-2008S(180),NI-2008S(180)
L2524376-03B	Plastic 250ml HNO3 preserved	A	<2	<2	2.3	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2524376-03B1	Plastic 250ml HNO3 preserved	A	<2	<2	2.3	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2524376-03B2	Plastic 250ml HNO3 preserved	A	<2	<2	2.3	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2524376-03C	Plastic 250ml NaOH preserved	A	>12	>12	2.3	Y	Absent		TCN-4500(14)
L2524376-03C1	Plastic 250ml NaOH preserved	A	>12	>12	2.3	Y	Absent		TCN-4500(14)

Project Name: SPS TECHNOLOGIES**Lab Number:** L2524376**Project Number:** 658978**Report Date:** 04/22/25**Container Information**

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2524376-03C2	Plastic 250ml NaOH preserved	A	>12	>12	2.3	Y	Absent		TCN-4500(14)
L2524376-03D	Plastic 500ml unpreserved	A	7	7	2.3	Y	Absent		HEXCR-3500(1),FCN(1)
L2524376-03D1	Plastic 500ml unpreserved	A	7	7	2.3	Y	Absent		HEXCR-3500(1),FCN(1)
L2524376-03D2	Plastic 500ml unpreserved	A	7	7	2.3	Y	Absent		HEXCR-3500(1),FCN(1)
L2524376-03E	Amber 1L HCl preserved	A	NA		2.3	Y	Absent		OG-1664(28)
L2524376-03E1	Amber 1L HCl preserved	A	NA		2.3	Y	Absent		OG-1664(28)
L2524376-03E2	Amber 1L HCl preserved	A	NA		2.3	Y	Absent		OG-1664(28)
L2524376-03F	Amber 1L HCl preserved	A	NA		2.3	Y	Absent		OG-1664(28)
L2524376-03F1	Amber 1L HCl preserved	A	NA		2.3	Y	Absent		OG-1664(28)
L2524376-03F2	Amber 1L HCl preserved	A	NA		2.3	Y	Absent		OG-1664(28)
L2524376-04A	Plastic 250ml HNO3 preserved	B	<2	<2	2.1	Y	Absent		CR-2008S(180),NI-2008S(180)
L2524376-04B	Plastic 250ml HNO3 preserved	B	<2	<2	2.1	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2524376-04C	Plastic 250ml NaOH preserved	B	>12	>12	2.1	Y	Absent		TCN-4500(14)
L2524376-04D	Plastic 500ml unpreserved	B	7	7	2.1	Y	Absent		HEXCR-3500(1),FCN(1)
L2524376-04E	Amber 1L HCl preserved	B	NA		2.1	Y	Absent		OG-1664(28)
L2524376-04F	Amber 1L HCl preserved	B	NA		2.1	Y	Absent		OG-1664(28)

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenzo(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2524376
Report Date: 04/22/25

REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 107 Calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 140 Method 1664, Revision B: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-10-001, February 2010.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at its own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Pace Analytical Services LLC

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 1 of 2

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

MADEP-APH.**Nonpotable Water:** EPA RSK-175 Dissolved Gases**Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).**Microbiology:** SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.** **EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

Pace Analytical Services LLCID No.: **17873**Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

Certification IDs:**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.



Project Information

Project Name: SPS Technologies

Client Information

Client: TRC Environmental Corporation
Address: 1617 John F. Kennedy Blvd.
Suite 510, Philadelphia, PA 19103
Phone: 267-679-6728
Fax: 215-563-2339

Project Location: Jenkintown, PA

Project #: 658978

Project Manager: Julie Acton

ALPHA Quote #: 31259

Turn-Around Time

☐ Standard ☒ Rush (ONLY IF PRE-APPROVED)

Due Date: Time: 1-Day

s/Detection Limits:

Date Rec'd in Lab: 4/22/25	ALPHA Job #:	TRC
Report Information	Data Deliverables	Billing Information
<input type="checkbox"/> FAX	<input checked="" type="checkbox"/> EMAIL	<input type="checkbox"/> Same as Client info
<input type="checkbox"/> ADEX	<input type="checkbox"/> Add'l Deliverables	PO #: 228588
Regulatory Requirements/Report Limits		
State/Fed Program		Criteria
PA		

ANALYSIS

SAMPLE HANDLING													
Filtration													
<input checked="" type="checkbox"/> Done													
<input type="checkbox"/> Not Needed													
<input type="checkbox"/> Lab to do													
Preservation													
<input type="checkbox"/> Lab to do													
(Please specify below)													
Sample Specific Comments													
Oil and Grease E1664B	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Free Cyanide SM4500CN-E(M)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Total Cyanide SM4500CN-CE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Speciated Hex Chrome SM3500-CrB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ToTal Chromium E200.8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dissolved Chromium E200.8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Total Nickel E200.8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dissolved Nickel E200.8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Total Hardness E200.8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> </				

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.

Relinquished By

Date/Time

Received By:

Date/Time

Sparks, Sulzer (7/21)
Lost Place
Anthony Green
Carmichael

4/21/15 12:43
1844
4.2
5 0230

Received By: Anthony Green Date/Time: 4/21/25 12:43
4:01 PM
 turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.
APR 21 2025
Can Pass 1/2/25 0146 C-4/22
0220