



# **SPS TECHNOLOGIES - ABINGTON PA OUTFALL SAMPLING RESULTS REPORT FOR JULY 20, 2025**

**PREPARED FOR:**  
SPS TECHNOLOGIES

**PREPARED BY:**  
TRC ENVIRONMENTAL CORPORATION, INC  
1617 JFK BOULEVARD, SUITE 510  
PHILADELPHIA, PA 19103

**JULY 25, 2025**

## TABLE OF CONTENTS

	Page No.
<b>1.0 EXECUTIVE SUMMARY .....</b>	<b>1</b>
<b>2.0 INTRODUCTION .....</b>	<b>3</b>
2.1 BACKGROUND.....	3
<b>3.0 STORMWATER INVESTIGATION .....</b>	<b>4</b>
3.1 OUTFALL SAMPLING METHODOLOGY.....	4
3.2 OUTFALL SAMPLING.....	4
3.3 OUTFALL SAMPLING RESULTS.....	4
<b>4.0 DATA QUALITY ASSURANCE/QUALITY CONTROL MANAGEMENT.....</b>	<b>6</b>
4.1 FIELD QUALITY ASSURANCE/QUALITY CONTROL REQUIREMENTS. ....	6
4.2 ANALYTICAL QA/QC SAMPLES.....	6
4.3 DATA EVALUATION .....	6
4.4 REFERENCES .....	6

### Figures

Figure 1: On-Site Investigation Surface Water and Outfall Sampling Locations

### Table

Table 1: Outfall Analytical Results

### Appendices

Appendix A: Surface Water/Outfall Field Information Form

Appendix B: Data Validation Report

Appendix C: Laboratory Analytical Report

## 1.0 EXECUTIVE SUMMARY

TRC Environmental Corporation (TRC), on behalf of SPS Technologies Abington PA (SPS), collected three outfall samples in accordance with TRC Surface Water and Outfall Sampling Plan revised on March 25, 2025 (Sampling Plan). The samples were collected on July 20, 2025 and submitted to a Pennsylvania-certified analytical laboratory for analysis. The sample locations are shown in the attached **Figure 1** and the results of the analysis are shown below. No sheet flow sample was collected due to lack of flow.

Outfall		Outfall 002	Outfall 002 (Duplicate)	Outfall 006	Outfall 009
Parameter	Units				
<b>Volatile Organic Compounds</b>					
Toluene	mg/L	ND	ND	ND	ND
2-Butanone (MEK)	mg/L	ND	ND	ND	ND
<b>General Chemistry</b>					
Chromium, Trivalent	mg/L	ND	0.003 J	ND	ND
Chromium, Hexavalent	mg/L	0.004 J	ND	ND	0.004 J
Total Cyanide	mg/L	0.002 J	0.002 J	ND UJ	ND UJ
Free Cyanide	mg/L	ND UJ	0.004 J	ND UJ	0.007 J
Oil & Grease	mg/L	ND	ND	ND	ND
Total Suspended Solids	mg/L	ND	ND	ND	11
Nitrate/Nitrite as Nitrogen	mg/L	0.50	0.54	3.1	0.39
Chemical Oxygen Demand	mg/L	55	55	22	57
<b>Total Metals</b>					
Total Aluminum	mg/L	0.1484	0.16800	0.03320	0.54770
Total Chromium	mg/L	0.00294	0.00318	0.00021 J	0.00440
Total Copper	mg/L	0.01766	0.01818	0.00285	0.02689
Total Iron	mg/L	0.89760	0.90840	0.09836	0.85350
Total Lead	mg/L	0.00581	0.00598	0.00040 J	0.01725
Total Nickel	mg/L	0.00950	0.00968	0.00152 J	0.00468
Total Zinc	mg/L	0.05054	0.05350	0.01680	0.06899
<b>Dissolved Metals</b>					
Dissolved Chromium	mg/L	0.0019	0.0018	0.0002 J	0.0009 J
Dissolved Nickel	mg/L	0.0092	0.0093	0.0016 J	0.0015 J
<b>Total Hardness</b>					
Hardness	mg/L	110.8	110.7	159.8	80.70
<b>Field Parameters</b>					
pH	SU	6.50	6.50	6.92	6.73

A detailed description of the sampling procedure, results, and data evaluation are included in this Sampling Report. The laboratory data validation reports and the complete laboratory analytical report, including Quality Assurance/Quality Control (QA/QC) are attached.



## **2.0 INTRODUCTION**

This Outfall Sampling Results Report for July 20, 2025 (Sampling Report) was prepared by TRC Environmental Corporation, Inc., (TRC) on behalf of SPS Technologies Abington PA (SPS). The SPS facility is located at 301 Highland Avenue, Jenkintown, PA 19046 (Site). This Sampling Report was prepared to provide the outfall sampling results from July 20, 2025, which were collected in accordance with the TRC Surface Water and Outfall Sampling Plan revised on March 25, 2025 and approved by the PADEP on April 2, 2025.

### **2.1 Background**

The Site is currently owned by SPS Technologies. On February 17, 2025, a fire broke out at the facility causing major damage and a cessation of operation. Prior to the fire, facility operations consisted of manufacturing of bolts, nuts, screws, rivets, washers, furniture, and fixtures.

### 3.0 STORMWATER INVESTIGATION

TRC collected three stormwater samples from three permitted outfalls as a result of the qualifying precipitation event on July 19, 2025.

#### 3.1 Outfall Sampling Methodology

TRC collected the outfall samples in accordance with the Sampling Plan. Field data collected from the location during the sampling include:

- Water depth
- Weather conditions
- Physical characteristics (clarity, appearance, odor)
- Water Quality (DO, pH, OPR, turbidity, conductivity, and temperature)
- Water velocity (visibly moving)

The field data is documented in the field sampling form included as **Appendix A**, except for the in-field pH measurement, which is summarized in **Table 1**.

#### 3.2 Outfall Sampling

All samples were submitted to Pace Analytical in Westborough, Massachusetts (Certification No. 68-03671) and Pace Analytical in Mansfield, Massachusetts (Certification No. 68-02089), following chain-of-custody protocols.

#### 3.3 Outfall Sampling Results

Stormwater samples were collected from three permitted outfall locations in accordance with the Sampling Plan for the following parameters:


- Chemical Oxygen Demand
- Total Suspended Solids
- Nitrate-Nitrite as N
- Hexavalent Chromium (calculated for Trivalent Chromium)
- Total Aluminum
- Total Copper
- Total Iron
- Total Lead
- Total Zinc
- Oil & Grease
- Free Cyanide
- Total Cyanide
- Total Nickel
- Dissolved Nickel
- Total Chromium
- Dissolved Chromium

- Methyl ethyl ketone (2-Butanone)
- Toluene
- Hardness

The validated analytical results are summarized in **Table 1**. The sampling location is shown on **Figure 1**.









SOURCE  
NEARMAP IMAGERY, JUNE 16, 2024.

LEGEND  
SW = SURFACE WATER  
● SURFACE WATER SAMPLE LOCATION  
● APPROXIMATE OUTFALL SAMPLE LOCATION



PROJECT: <b>SPS TECHNOLOGIES 301 HIGHLAND AVENUE JENKINTOWN, PA</b>	
TITLE: <b>ONSITE INVESTIGATION SURFACE WATER AND OUTFALL SAMPLING LOCATIONS</b>	
DRAWN BY: M. GIAMBATTISTA	PROJ NO.: 658978.0000
CHECKED BY: J. ACTON	<b>FIGURE 1</b>
APPROVED BY: D. CARLSON	
DATE: MARCH 2025	
	1617 JOHN F. KENNEDY BLVD. SUITE 510 PHILADELPHIA, PA 19103
	FILE NO.: Drawing3_1_16555_a55aae24.dwg





July 2025

Table 1

**Surface Water Analytical Results**  
**Outfall Sampling Results Report SPS Technologies**  
**Jenkintown, Pennsylvania**

Project Number: 658978

Sample Location		Outfall 002				Outfall 002 (Duplicate)				Outfall 006				Outfall 009			
Field Sample ID		OF002-072025				DUP-072025				OF006-072025				OF009-072025			
Lab Sample ID		L2545385-01				L2545385-04				L2545385-02				L2545385-03			
Sampling Date		7/20/2025				7/20/2025				7/20/2025				7/20/2025			
Matrix		Water				Water				Water				Water			
Parameter	Units	Result	Q	RL	MDL	Result	Q	RL	MDL	Result	Q	RL	MDL	Result	Q	RL	MDL
<b>Volatile Organic Compounds</b>																	
Toluene	mg/L	ND		0.0010	0.00031	ND		0.0010	0.00031	ND		0.0010	0.00031	ND		0.0010	0.00031
2-Butanone (MEK)	mg/L	ND		0.010	0.0010	ND		0.010	0.0010	ND		0.010	0.0010	ND		0.010	0.0010
<b>General Chemistry</b>																	
Chromium, Trivalent	mg/L	ND		0.0010	0.003	0.003	J	0.0010	0.003	ND		0.0010	0.003	ND		0.0010	0.003
Chromium, Hexavalent	mg/L	0.004	J	0.010	0.003	ND		0.010	0.003	ND		0.010	0.003	0.004	J	0.010	0.003
Total Cyanide	mg/L	0.002	J	0.005	0.001	0.002	J	0.005	0.001	ND	UJ	0.005	0.001	ND	UJ	0.005	0.001
Free Cyanide	mg/L	ND	UJ	0.010	0.003	0.004	J	0.010	0.003	ND	UJ	0.010	0.003	0.007	J	0.010	0.003
Oil & Grease	mg/L	ND		4.0	4.0	ND		4.0	4.0	ND		4.0	4.0	ND		4.0	4.0
Total Suspended Solids	mg/L	ND		5.0	NA	ND		5.0	NA	ND		5.0	NA	11		5.0	NA
Nitrate/Nitrite as Nitrogen	mg/L	0.50		0.10	0.046	0.54		0.10	0.046	3.1		0.10	0.046	0.39		0.10	0.046
Chemical Oxygen Demand	mg/L	55		20	6.0	55		20	6.0	22		20	6.0	57		20	6.0
<b>Total Metals</b>																	
Total Aluminum	mg/L	0.1484		0.01000	0.00327	0.1680		0.01000	0.00327	0.03320		0.00100	0.00327	0.5477		0.01000	0.00327
Total Chromium	mg/L	0.00294		0.00100	0.00017	0.00318		0.00100	0.00017	0.00021	J	0.00100	0.00017	0.00440		0.00100	0.00017
Total Copper	mg/L	0.01766		0.00100	0.00038	0.01818		0.00100	0.00038	0.00285		0.00100	0.00038	0.02689		0.00100	0.00038
Total Iron	mg/L	0.8976		0.05000	0.01910	0.9084		0.05000	0.01910	0.09836		0.05000	0.01910	0.8535		0.05000	0.01910
Total Lead	mg/L	0.00581		0.00100	0.00034	0.00598		0.00100	0.00034	0.00040	J	0.00100	0.00034	0.01725		0.00100	0.00034
Total Nickel	mg/L	0.00950		0.00200	0.00055	0.00968		0.00200	0.00055	0.00152	J	0.00200	0.00055	0.00468		0.00200	0.00055
Total Zinc	mg/L	0.05054		0.00500	0.00341	0.05350		0.00500	0.00341	0.01680		0.00500	0.00341	0.06899		0.00500	0.00341
<b>Dissolved Metals</b>																	
Dissolved Chromium	mg/L	0.0019		0.0010	0.0002	0.0018		0.0010	0.0002	0.0002	J	0.0010	0.0002	0.0009	J	0.0010	0.0002
Dissolved Nickel	mg/L	0.0092		0.0020	0.0006	0.0093		0.0020	0.0006	0.0016	J	0.0020	0.0006	0.0015	J	0.0020	0.0006
<b>Total Hardness</b>																	
Hardness	mg/L	110.8		0.5400	---	110.7		0.5400	---	159.8		0.5400	---	80.70		0.5400	---
<b>Field Parameters</b>																	
pH <sup>1</sup>	SU	6.50				6.50				6.92				6.73			

**Notes:**

1.) Field measurements for pH were performed by TRC field personnel prior to sample collection using a Horiba U-52. Field measurements were not validated.

**Abbreviations:**

MDL: Method Detection Limit

mg/L: milligrams per liter

ND: Non-Detect

NA: Not Applicable

Q: Qualifier

RL: Reporting Limit

SU: Standard Units

**Qualifiers:**

J: Estimated Result

U: Estimated RL

Created By: MO 7/24/25 Checked By: JA





Date \_\_\_\_\_

Project Number: 658978

**SURFACE WATER/OUTFALL SAMPLE FIELD INFORMATION FORM**

Site: SPS  
Location: Jenkintown PA  
Project Number: 658978  
Water Quality Meter: Hor. 69 S/N: 0128603X  
Meter Calibrated @: 7/20/2025 @ 0815  
Flow Meter: 04 MF pro S/N: 337461  
Sampling Date/Time: 0700Z @ 0915 0700Z @ 1030  
0700Z @ 1115 Dup-072025@0000  
Sampler(s): J. Soules  
Sampling Device: Dipper pole  
Sample Characteristics: 0700Z - slight sheen, clear brown tint, no odor  
0700Z - no sheen no odor, slightly turbid, brown  
Analytical Parameters: 0700Z - clear, no sheen, no odor

Additional Notes:

Additional Notes: No flow at OF004

- Collect Dip on OF002
- Collect MS/MSD on OF006
- Unable to measure flow rate at OF002, water level too low
- Minnows/fish observed at OF006

Weather Conditions: Cloudy H86 L73

[illegible]

NM = Not measured





### **Data Validation Report**

**Site:** SPS Technologies, Outfall Sampling  
**Laboratory:** Pace Analytical, Westborough and Mansfield, MA  
**SDG No.:** L2545385  
**Parameters:** Select Volatile Organic Compounds (VOCs), Select Metals, Hardness, Total Suspended Solids (TSS), Total Cyanide, Free Cyanide, Nitrate/Nitrite, Chemical Oxygen Demand (COD), Oil & Grease, Hexavalent Chromium, Trivalent Chromium  
**Data Reviewer:** Jessica Esser/TRC  
**Peer Reviewer:** Nancy Bergstrom/TRC  
**Date:** July 23, 2025

### **Samples Reviewed and Evaluation Summary**

4 Outfall Samples: OF002-072025, OF006-072025, OF009-072025, DUP-072025<sup>1</sup>

1 Trip Blank: TRIP BLANK-072025

<sup>1</sup>Field duplicate of OF002-072025

The above-listed samples were collected on July 20, 2025 and were analyzed for one or more of the following parameters.

- Select VOCs (toluene, 2-butanone) using EPA Method 624.1
- Select total metals (aluminum, chromium, copper, iron, lead, nickel, zinc) using EPA Method 200.8
- Select dissolved metals (chromium, nickel) using EPA Method 200.8
- Total hardness (by calculation) using EPA Method 200.8
- TSS using Standard Methods (SM) 2540D
- Total cyanide using SM 4500 CN-CE
- Free cyanide using SM 4500 CN-E (M)
- Nitrate/nitrite using EPA Method 353.2
- COD using EPA Method 410.4
- Oil and grease using EPA Method 1664B
- Hexavalent chromium using SM 3500 CR-B
- Trivalent chromium by calculation

Limited data validation was performed in accordance with *USEPA National Functional Guidelines for Organic Superfund Methods Data Review (EPA-540-R-20-005)*, November 2020 and *USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (EPA-542-R-20-006)*, November 2020, modified for the methodologies utilized.

The data were evaluated based on the following parameters:

- Overall Evaluation of Data and Potential Usability Issues
- Data Completeness
- Holding Times and Sample Preservation
- \* • Blanks
- \* • Surrogate Recoveries (VOCs only)
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results

- \* • Laboratory Duplicate Results
- \* • Laboratory Control Sample (LCS) Results
- \* • Field Duplicate Results
- Sample Results and Reported Quantitation Limits (QLs)
  
- \* - All criteria were met.

### **Overall Evaluation of Data and Potential Usability Issues**

All results are usable for project objectives. Qualification of the data as a result of sampling error was not required. Qualifications applied to the data as a result of analytical error are discussed below.

- Potential uncertainty exists for select metals, trivalent chromium, total cyanide, free cyanide, and hexavalent chromium results that were below the lowest calibration standard and QL. These results were qualified as estimated (J) by the laboratory in the associated samples. These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.
- The positive and nondetect results for free cyanide in all outfall samples in this data set were qualified as estimated (J/UJ) due to analysis past the recommended holding time limit. These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.
- The positive and nondetect results for total cyanide in all outfall samples in this data set were qualified as estimated (J/UJ) due to a low MS percent recovery (%R). These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.

### **Data Completeness**

The data package was a complete Level 2 data package with the following exceptions/notes.

- The date of collection for the trip blank was listed as 7/14/25 on the chain-of-custody. For purposes of this assessment, it was assumed the date of collection was the same as the associated samples.
- The laboratory performed MS/laboratory duplicate analyses on sample OF006-072025 for nitrate/nitrite and COD rather than MS/MSD analyses as requested on the COC.
- MS/MSD analyses were not performed on sample OF006-072025 for TSS as requested on the COC; a laboratory duplicate analysis was performed instead due to the nature of the analysis.

There is no impact on the data usability due to these issues and no validation actions were taken on this basis.

### **Holding Times and Sample Preservation**

With the exception of free cyanide, all holding time and preservation criteria were met for all parameters. The free cyanide analysis was performed outside the 24-hour holding time for all outfall samples in this data set by <32 hours. The positive and nondetect results for free cyanide in all outfall samples in this data set were qualified as estimated (J/UJ) due to analysis past the recommended holding time limit. No direction of bias was applied to the positive results in samples OF009-072025

and DUP-072025 since these results were also qualified as estimated (J) by the laboratory due to a detection <QL.

### **Blanks**

Target VOCs were not detected in the trip blank. Target analytes were not detected in the associated laboratory method blanks. A field blank was not submitted with the data set.

### **Surrogate Recoveries (VOCs only)**

All criteria were met.

### **MS/MSD Results**

MS/MSD analyses were performed on sample OF006-072025 for VOCs, total and dissolved metals, hardness, total cyanide, free cyanide, oil and grease, and hexavalent chromium. MS analyses were performed on sample OF006-072025 for nitrate/nitrite and COD and on sample OF002-072025 for total metals and hardness. With the exception of total cyanide, all criteria were met. The %R for total cyanide in the MS (86%) performed on sample OF006-072025 was below the laboratory acceptance criteria (90-110%). Therefore, the positive and nondetect results for total cyanide in all outfall samples in this data set were qualified as estimated (J/UJ); no direction of bias was applied to the positive results in samples OF002-072025 and DUP-072025 since these results were also qualified as estimated (J) by the laboratory due to a detection <QL.

### **Laboratory Duplicate Results**

Laboratory duplicate analyses were performed on sample OF006-072025 for TSS, total cyanide, free cyanide, nitrate/nitrite, COD, oil and grease, and hexavalent chromium and on sample OF002-072025 for total metals and hardness. All criteria were met.

### **LCS Results**

All criteria were met for all parameters.

### **Field Duplicate Results**

Samples OF002-072025 and DUP-072025 were submitted as the field duplicate pair with this sample set. The following table summarizes the relative percent differences (RPDs) and/or AbsDs, where applicable, of the detected analytes. The QL was used in the calculation of the AbsD for the nondetect (ND) results. All criteria were met.

Analyte	QLs (mg/L)	OF002-072025 (mg/L)	DUP-072025 (mg/L)	RPD (%) or AbsD (mg/L)	Validation Action
Total Aluminum	0.010	0.1484	0.1680	RPD = 12.4	None; all criteria were met.
Total Chromium	0.001	0.00294	0.00318	AbsD = 0.00024	
Total Copper	0.001	0.01766	0.01818	RPD = 2.9	
Total Iron	0.050	0.8976	0.9084	RPD = 1.2	
Total Lead	0.001	0.00581	0.00598	RPD = 2.9	
Total Nickel	0.002	0.00950	0.00968	AbsD = 0.00018	

Analyte	QLs (mg/L)	OF002-072025 (mg/L)	DUP-072025 (mg/L)	RPD (%) or AbsD (mg/L)	Validation Action
Total Zinc	0.005	0.05054	0.05350	RPD = 5.7	None; all criteria were met.
Hardness	0.54	110.8	110.7	RPD = 0.1	
Trivalent Chromium	0.010	ND	0.003 J	AbsD = 0.007	
Dissolved Chromium	0.001	0.0019	0.0018	AbsD = 0.0001	
Dissolved Nickel	0.002	0.0092	0.0093	AbsD = 0.0004	
Total Cyanide	0.005	0.002 J	0.002 J	AbsD = 0	
Free Cyanide	0.010	ND	0.004 J	AbsD = 0.006	
Nitrate/Nitrite	0.10	0.50	0.54	RPD = 7.7	
COD	20	55	55	AbsD = 0	
Hexavalent Chromium	0.010	0.004 J	ND	AbsD = 0.006	

Field duplicate criteria are as follows:

- $RPD \leq 30$  when positive results for both samples are  $\geq 5x$  QL
- $AbsD \leq QL$  when one or both results are  $< 5x$  QL

### **Sample Results and Reported Quantitation Limits**

Select metals, trivalent chromium, total cyanide, free cyanide, and hexavalent chromium results were reported that were below the lowest calibration standard level and QL. These results were qualified as estimated (J) in the associated samples by the laboratory.

There were no dilutions performed on the samples in this data set.

The total and dissolved metal results were evaluated during data validation to identify any dissolved concentrations that were significantly higher than the associated total concentration. The evaluation was based on the following criteria to determine significance: percent difference (%D) should be  $\leq 20\%$  when dissolved results are greater than total results and both results are  $\geq 5x$  the QL. If the dissolved result was  $>$  the total and one or both results were  $< 5x$  the QL, then the AbsD should be  $\leq 2x$  the QL. These criteria were met for all samples.

**QUALIFIED FORM 1s**

# **VOLATILES**



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/23/25

**SAMPLE RESULTS**

**Lab ID:** L2545385-01  
**Client ID:** OF002-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 09:15  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 128,624.1  
**Analytical Date:** 07/21/25 12:00  
**Analyst:** GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	89		60-140
Fluorobenzene	96		60-140
4-Bromofluorobenzene	102		60-140

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/23/25

**SAMPLE RESULTS**

Lab ID: L2545385-02  
 Client ID: OF006-072025  
 Sample Location: JENKINTOWN, PA

Date Collected: 07/20/25 11:15  
 Date Received: 07/20/25  
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 07/21/25 12:32  
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	87		60-140
Fluorobenzene	95		60-140
4-Bromofluorobenzene	101		60-140

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/23/25

**SAMPLE RESULTS**

**Lab ID:** L2545385-03  
**Client ID:** OF009-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 10:30  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 128,624.1  
**Analytical Date:** 07/21/25 13:04  
**Analyst:** GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	86		60-140
Fluorobenzene	94		60-140
4-Bromofluorobenzene	101		60-140

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/23/25

**SAMPLE RESULTS**

**Lab ID:** L2545385-04  
**Client ID:** DUP-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 00:00  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 128,624.1  
**Analytical Date:** 07/21/25 13:36  
**Analyst:** GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	85		60-140
Fluorobenzene	94		60-140
4-Bromofluorobenzene	106		60-140

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/23/25

**SAMPLE RESULTS**

Lab ID: L2545385-05  
 Client ID: TRIP BLANK-072025  
 Sample Location: JENKINTOWN, PA

Date Collected: 07/14/25 00:00  
 Date Received: 07/20/25  
 Field Prep: None

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 07/21/25 14:08  
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	85		60-140
Fluorobenzene	91		60-140
4-Bromofluorobenzene	102		60-140

## METALS

**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2545385**Project Number:** 658978**Report Date:** 07/23/25**SAMPLE RESULTS**

Lab ID: L2545385-01

Date Collected: 07/20/25 09:15

Client ID: OF002-072025

Date Received: 07/20/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Aluminum, Total	0.1484		mg/l	0.01000	0.00327	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Chromium, Total	0.00294		mg/l	0.00100	0.00017	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Copper, Total	0.01766		mg/l	0.00100	0.00038	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Iron, Total	0.8976		mg/l	0.05000	0.01910	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Lead, Total	0.00581		mg/l	0.00100	0.00034	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00950		mg/l	0.00200	0.00055	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Zinc, Total	0.05054		mg/l	0.00500	0.00341	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	110.8		mg/l	0.5400	NA	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		07/22/25 10:02	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	0.0019		mg/l	0.0010	0.0002	1	07/21/25 09:52	07/22/25 09:08	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0092		mg/l	0.0020	0.0006	1	07/21/25 09:52	07/22/25 09:08	EPA 3005A	3,200.8	BLR



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2545385**Project Number:** 658978**Report Date:** 07/23/25**SAMPLE RESULTS**

Lab ID: L2545385-02

Date Collected: 07/20/25 11:15

Client ID: OF006-072025

Date Received: 07/20/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Aluminum, Total	0.03320		mg/l	0.01000	0.00327	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Chromium, Total	0.00021	J	mg/l	0.00100	0.00017	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Copper, Total	0.00285		mg/l	0.00100	0.00038	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Iron, Total	0.09836		mg/l	0.05000	0.01910	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Lead, Total	0.00040	J	mg/l	0.00100	0.00034	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00152	J	mg/l	0.00200	0.00055	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Zinc, Total	0.01680		mg/l	0.00500	0.00341	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	159.8		mg/l	0.5400	NA	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR

**General Chemistry - Mansfield Lab**

Chromium, Trivalent	ND		mg/l	0.010	0.003	1	07/22/25 10:19	NA	107,-	
---------------------	----	--	------	-------	-------	---	----------------	----	-------	--

**Dissolved Metals - Mansfield Lab**

Chromium, Dissolved	0.0002	J	mg/l	0.0010	0.0002	1	07/21/25 09:52	07/22/25 08:51	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0016	J	mg/l	0.0020	0.0006	1	07/21/25 09:52	07/22/25 08:51	EPA 3005A	3,200.8	BLR





Project Name: SPS TECHNOLOGIES

Lab Number: L2545385

Project Number: 658978

Report Date: 07/23/25

## SAMPLE RESULTS

Lab ID: L2545385-03

Date Collected: 07/20/25 10:30

Client ID: OF009-072025

Date Received: 07/20/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.5477		mg/l	0.01000	0.00327	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Chromium, Total	0.00440		mg/l	0.00100	0.00017	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Copper, Total	0.02689		mg/l	0.00100	0.00038	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Iron, Total	0.8535		mg/l	0.05000	0.01910	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Lead, Total	0.01725		mg/l	0.00100	0.00034	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00468		mg/l	0.00200	0.00055	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Zinc, Total	0.06899		mg/l	0.00500	0.00341	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	80.70		mg/l	0.5400	NA	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR

## General Chemistry - Mansfield Lab

Chromium, Trivalent	ND		mg/l	0.010	0.003	1		07/22/25 09:25	NA	107,-	
---------------------	----	--	------	-------	-------	---	--	----------------	----	-------	--

## Dissolved Metals - Mansfield Lab

Chromium, Dissolved	0.0009	J	mg/l	0.0010	0.0002	1	07/21/25 09:52	07/22/25 09:14	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0015	J	mg/l	0.0020	0.0006	1	07/21/25 09:52	07/22/25 09:14	EPA 3005A	3,200.8	BLR



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2545385**Project Number:** 658978**Report Date:** 07/23/25**SAMPLE RESULTS**

Lab ID: L2545385-04

Date Collected: 07/20/25 00:00

Client ID: DUP-072025

Date Received: 07/20/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Aluminum, Total	0.1680		mg/l	0.01000	0.00327	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Chromium, Total	0.00318		mg/l	0.00100	0.00017	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Copper, Total	0.01818		mg/l	0.00100	0.00038	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Iron, Total	0.9084		mg/l	0.05000	0.01910	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Lead, Total	0.00598		mg/l	0.00100	0.00034	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00968		mg/l	0.00200	0.00055	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Zinc, Total	0.05350		mg/l	0.00500	0.00341	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	110.7		mg/l	0.5400	NA	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	0.003	J	mg/l	0.010	0.003	1		07/22/25 09:31	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	0.0018		mg/l	0.0010	0.0002	1	07/21/25 09:52	07/22/25 09:19	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0093		mg/l	0.0020	0.0006	1	07/21/25 09:52	07/22/25 09:19	EPA 3005A	3,200.8	BLR



# **INORGANICS & MISCELLANEOUS**

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/23/25

### SAMPLE RESULTS

**Lab ID:** L2545385-01  
**Client ID:** OF002-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 09:15  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	07/21/25 08:48	121,2540D	AMM
Cyanide, Total	0.002	J J	mg/l	0.005	0.001	1	07/22/25 20:10	07/23/25 12:08	121,4500CN-CE	JER
Cyanide, Free	ND	UJ	mg/l	0.010	0.003	1	-	07/22/25 16:25	121,4500CN-E(M)	MRM
Nitrogen, Nitrate/Nitrite	0.50		mg/l	0.10	0.046	1	-	07/22/25 06:36	44,353.2	KAF
Chemical Oxygen Demand	55.		mg/l	20	6.0	1	07/21/25 10:30	07/21/25 13:26	44,410.4	MRW
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	07/21/25 06:15	07/21/25 11:11	140,1664B	TPR
Chromium, Hexavalent	0.004	J	mg/l	0.010	0.003	1	07/21/25 04:30	07/21/25 04:51	121,3500CR-B	KAF



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/23/25

### SAMPLE RESULTS

**Lab ID:** L2545385-02  
**Client ID:** OF006-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 11:15  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	07/21/25 08:48	121,2540D	AMM
Cyanide, Total	ND	UJ	mg/l	0.005	0.001	1	07/22/25 20:10	07/23/25 12:09	121,4500CN-CE	JER
Cyanide, Free	ND	UJ	mg/l	0.010	0.003	1	-	07/22/25 16:25	121,4500CN-E(M)	MRM
Nitrogen, Nitrate/Nitrite	3.1		mg/l	0.10	0.046	1	-	07/22/25 06:41	44,353.2	KAF
Chemical Oxygen Demand	22.		mg/l	20	6.0	1	07/21/25 10:30	07/21/25 13:26	44,410.4	MRW
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	07/21/25 06:15	07/21/25 08:13	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	07/21/25 04:30	07/21/25 04:51	121,3500CR-B	KAF



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/23/25

### SAMPLE RESULTS

**Lab ID:** L2545385-03  
**Client ID:** OF009-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 10:30  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	11.		mg/l	5.0	NA	1	-	07/21/25 08:48	121,2540D	AMM
Cyanide, Total	ND	UJ	mg/l	0.005	0.001	1	07/22/25 20:10	07/23/25 12:13	121,4500CN-CE	JER
Cyanide, Free	0.007	J J	mg/l	0.010	0.003	1	-	07/22/25 16:25	121,4500CN-E(M)	MRM
Nitrogen, Nitrate/Nitrite	0.39		mg/l	0.10	0.046	1	-	07/22/25 06:45	44,353.2	KAF
Chemical Oxygen Demand	57.		mg/l	20	6.0	1	07/21/25 10:30	07/21/25 13:27	44,410.4	MRW
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	07/21/25 06:15	07/21/25 11:13	140,1664B	TPR
Chromium, Hexavalent	0.004	J	mg/l	0.010	0.003	1	07/21/25 04:30	07/21/25 04:53	121,3500CR-B	KAF



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/23/25

### SAMPLE RESULTS

**Lab ID:** L2545385-04  
**Client ID:** DUP-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 00:00  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	07/21/25 08:48	121,2540D	AMM
Cyanide, Total	0.002	J J	mg/l	0.005	0.001	1	07/22/25 20:10	07/23/25 12:14	121,4500CN-CE	JER
Cyanide, Free	0.004	J J	mg/l	0.010	0.003	1	-	07/22/25 16:25	121,4500CN-E(M)	MRM
Nitrogen, Nitrate/Nitrite	0.54		mg/l	0.10	0.046	1	-	07/22/25 06:46	44,353.2	KAF
Chemical Oxygen Demand	55.		mg/l	20	6.0	1	07/21/25 10:30	07/21/25 13:27	44,410.4	MRW
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	07/21/25 06:15	07/21/25 11:14	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	07/21/25 04:30	07/21/25 04:54	121,3500CR-B	KAF







JOB: L2545385      REPORT STYLE: Data Usability Report  
0010: Analytical Report Cover Page - OK  
0015: Sample Cross Reference Summary - OK  
0060: Case Narrative - OK  
0100: Volatiles Cover Page - OK  
0110: Volatiles Sample Results - OK  
0120: Volatiles Method Blank Report - OK  
0130: Volatiles LCS Report - OK  
0150: Volatiles Matrix Spike Report - OK  
1005: Metals Sample Results - OK  
1010: Metals Method Blank Report - OK  
1020: Metals LCS Report - OK  
1040: Metals Matrix Spike Report - OK  
1050: Metals Duplicate Report - OK  
1180: Inorganics Cover Page - OK  
1200: Wet Chemistry Sample Results - OK  
1210: Wet Chemistry Method Blank Report - OK  
1220: Wet Chemistry LCS Report - OK  
1240: Wet Chemistry Matrix Spike Report - OK  
1250: Wet Chemistry Duplicate Report - OK  
5100: Sample Receipt & Container Information Report - OK  
5200: Glossary - OK  
5400: References - OK

-----  
No results found for sample L2545385-01 for product TCN-4500  
No results found for sample L2545385-02 for product TCN-4500  
No results found for sample L2545385-03 for product TCN-4500  
No results found for sample L2545385-04 for product TCN-4500



## ANALYTICAL REPORT

Lab Number:	L2545385
Client:	TRC Environmental 1617 JFK Blvd. Suite 510 Philadelphia, PA 19103
ATTN:	Julie Acton
Phone:	(215) 563-2122
Project Name:	SPS TECHNOLOGIES
Project Number:	658978
Report Date:	07/22/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2545385-01	OF002-072025	WATER	JENKINTOWN, PA	07/20/25 09:15	07/20/25
L2545385-02	OF006-072025	WATER	JENKINTOWN, PA	07/20/25 11:15	07/20/25
L2545385-03	OF009-072025	WATER	JENKINTOWN, PA	07/20/25 10:30	07/20/25
L2545385-04	DUP-072025	WATER	JENKINTOWN, PA	07/20/25 00:00	07/20/25
L2545385-05	TRIP BLANK-072025	WATER	JENKINTOWN, PA	07/14/25 00:00	07/20/25

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

**Case Narrative (continued)**

Report Submission

July 22, 2025: This is a preliminary report.

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Cyanide, Free

L2545385-01 through -04: The sample was analyzed with the method required holding time exceeded.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Kelly Stenstrom

Title: Technical Director/Representative

Date: 07/22/25

# ORGANICS

# VOLATILES

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

**SAMPLE RESULTS**

Lab ID: L2545385-01  
 Client ID: OF002-072025  
 Sample Location: JENKINTOWN, PA

Date Collected: 07/20/25 09:15  
 Date Received: 07/20/25  
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 07/21/25 12:00  
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	89		60-140
Fluorobenzene	96		60-140
4-Bromofluorobenzene	102		60-140



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

**SAMPLE RESULTS**

**Lab ID:** L2545385-02  
**Client ID:** OF006-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 11:15  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 128,624.1  
**Analytical Date:** 07/21/25 12:32  
**Analyst:** GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	87		60-140
Fluorobenzene	95		60-140
4-Bromofluorobenzene	101		60-140

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

**SAMPLE RESULTS**

Lab ID: L2545385-03  
 Client ID: OF009-072025  
 Sample Location: JENKINTOWN, PA

Date Collected: 07/20/25 10:30  
 Date Received: 07/20/25  
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 07/21/25 13:04  
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	86		60-140
Fluorobenzene	94		60-140
4-Bromofluorobenzene	101		60-140

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

**SAMPLE RESULTS**

**Lab ID:** L2545385-04  
**Client ID:** DUP-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 00:00  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 128,624.1  
**Analytical Date:** 07/21/25 13:36  
**Analyst:** GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	85		60-140
Fluorobenzene	94		60-140
4-Bromofluorobenzene	106		60-140

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

**SAMPLE RESULTS**

**Lab ID:** L2545385-05  
**Client ID:** TRIP BLANK-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/14/25 00:00  
**Date Received:** 07/20/25  
**Field Prep:** None

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 128,624.1  
**Analytical Date:** 07/21/25 14:08  
**Analyst:** GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	85		60-140
Fluorobenzene	91		60-140
4-Bromofluorobenzene	102		60-140

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 128,624.1  
Analytical Date: 07/21/25 10:55  
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-05 Batch: WG2093446-4					
Toluene	ND		mg/l	0.0010	0.00031
2-Butanone	ND		mg/l	0.010	0.0010

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	96		60-140
Fluorobenzene	99		60-140
4-Bromofluorobenzene	95		60-140

# **Lab Control Sample Analysis** **Batch Quality Control**

**Project Name:** SPS TECHNOLOGIES

**Project Number:** 658978

**Lab Number:** L2545385

**Report Date:** 07/22/25

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 Batch: WG2093446-3								
Toluene	95		-		70-130	-		41
2-Butanone	86		-		60-140	-		30

<b>Surrogate</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>Acceptance Criteria</b>
Pentafluorobenzene	93				60-140
Fluorobenzene	95				60-140
4-Bromofluorobenzene	94				60-140

# **Matrix Spike Analysis** **Batch Quality Control**

**Project Name:** SPS TECHNOLOGIES

**Project Number:** 658978

**Lab Number:** L2545385

**Report Date:** 07/22/25

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG2093446-5 WG2093446-6 QC Sample: L2545385-02 Client ID: OF006-072025												
Toluene	ND	0.02	0.020	100		0.021	105		47-150	5		41
2-Butanone	ND	0.05	0.036	72		0.039	78		60-140	8		30

<b>Surrogate</b>	<b>MS % Recovery</b>	<b>Qualifier</b>	<b>MSD % Recovery</b>	<b>Qualifier</b>	<b>Acceptance Criteria</b>
4-Bromofluorobenzene	101		101		60-140
Fluorobenzene	92		94		60-140
Pentafluorobenzene	89		92		60-140

## METALS



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2545385**Project Number:** 658978**Report Date:** 07/22/25**SAMPLE RESULTS**

Lab ID: L2545385-01

Date Collected: 07/20/25 09:15

Client ID: OF002-072025

Date Received: 07/20/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Aluminum, Total	0.1484		mg/l	0.01000	0.00327	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Chromium, Total	0.00294		mg/l	0.00100	0.00017	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Copper, Total	0.01766		mg/l	0.00100	0.00038	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Iron, Total	0.8976		mg/l	0.05000	0.01910	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Lead, Total	0.00581		mg/l	0.00100	0.00034	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00950		mg/l	0.00200	0.00055	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
Zinc, Total	0.05054		mg/l	0.00500	0.00341	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	110.8		mg/l	0.5400	NA	1	07/21/25 07:49	07/22/25 10:02	EPA 3005A	3,200.8	BLR
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		07/22/25 10:02	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	0.0019		mg/l	0.0010	0.0002	1	07/21/25 09:52	07/22/25 09:08	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0092		mg/l	0.0020	0.0006	1	07/21/25 09:52	07/22/25 09:08	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES

Lab Number: L2545385

Project Number: 658978

Report Date: 07/22/25

## SAMPLE RESULTS

Lab ID: L2545385-02

Date Collected: 07/20/25 11:15

Client ID: OF006-072025

Date Received: 07/20/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.03320		mg/l	0.01000	0.00327	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Chromium, Total	0.00021	J	mg/l	0.00100	0.00017	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Copper, Total	0.00285		mg/l	0.00100	0.00038	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Iron, Total	0.09836		mg/l	0.05000	0.01910	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Lead, Total	0.00040	J	mg/l	0.00100	0.00034	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00152	J	mg/l	0.00200	0.00055	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Zinc, Total	0.01680		mg/l	0.00500	0.00341	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	159.8		mg/l	0.5400	NA	1	07/21/25 07:49	07/22/25 10:19	EPA 3005A	3,200.8	BLR

## General Chemistry - Mansfield Lab

Chromium, Trivalent	ND		mg/l	0.010	0.003	1	07/22/25 10:19	NA	107,-		
---------------------	----	--	------	-------	-------	---	----------------	----	-------	--	--

## Dissolved Metals - Mansfield Lab

Chromium, Dissolved	0.0002	J	mg/l	0.0010	0.0002	1	07/21/25 09:52	07/22/25 08:51	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0016	J	mg/l	0.0020	0.0006	1	07/21/25 09:52	07/22/25 08:51	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES

Lab Number: L2545385

Project Number: 658978

Report Date: 07/22/25

## SAMPLE RESULTS

Lab ID: L2545385-03

Date Collected: 07/20/25 10:30

Client ID: OF009-072025

Date Received: 07/20/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.5477		mg/l	0.01000	0.00327	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Chromium, Total	0.00440		mg/l	0.00100	0.00017	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Copper, Total	0.02689		mg/l	0.00100	0.00038	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Iron, Total	0.8535		mg/l	0.05000	0.01910	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Lead, Total	0.01725		mg/l	0.00100	0.00034	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00468		mg/l	0.00200	0.00055	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Zinc, Total	0.06899		mg/l	0.00500	0.00341	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	80.70		mg/l	0.5400	NA	1	07/21/25 07:49	07/22/25 09:25	EPA 3005A	3,200.8	BLR

## General Chemistry - Mansfield Lab

Chromium, Trivalent	ND		mg/l	0.010	0.003	1		07/22/25 09:25	NA	107,-	
---------------------	----	--	------	-------	-------	---	--	----------------	----	-------	--

## Dissolved Metals - Mansfield Lab

Chromium, Dissolved	0.0009	J	mg/l	0.0010	0.0002	1	07/21/25 09:52	07/22/25 09:14	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0015	J	mg/l	0.0020	0.0006	1	07/21/25 09:52	07/22/25 09:14	EPA 3005A	3,200.8	BLR



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2545385**Project Number:** 658978**Report Date:** 07/22/25**SAMPLE RESULTS**

Lab ID: L2545385-04

Date Collected: 07/20/25 00:00

Client ID: DUP-072025

Date Received: 07/20/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Aluminum, Total	0.1680		mg/l	0.01000	0.00327	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Chromium, Total	0.00318		mg/l	0.00100	0.00017	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Copper, Total	0.01818		mg/l	0.00100	0.00038	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Iron, Total	0.9084		mg/l	0.05000	0.01910	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Lead, Total	0.00598		mg/l	0.00100	0.00034	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00968		mg/l	0.00200	0.00055	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
Zinc, Total	0.05350		mg/l	0.00500	0.00341	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	110.7		mg/l	0.5400	NA	1	07/21/25 07:49	07/22/25 09:31	EPA 3005A	3,200.8	BLR
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	0.003	J	mg/l	0.010	0.003	1		07/22/25 09:31	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	0.0018		mg/l	0.0010	0.0002	1	07/21/25 09:52	07/22/25 09:19	EPA 3005A	3,200.8	BLR
Nickel, Dissolved	0.0093		mg/l	0.0020	0.0006	1	07/21/25 09:52	07/22/25 09:19	EPA 3005A	3,200.8	BLR



Project Name: SPS TECHNOLOGIES

Lab Number: L2545385

Project Number: 658978

Report Date: 07/22/25

## Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG2092907-1										
Aluminum, Total	ND		mg/l	0.01000	0.00327	1	07/21/25 07:49	07/22/25 09:51	3,200.8	BLR
Chromium, Total	ND		mg/l	0.00100	0.00017	1	07/21/25 07:49	07/22/25 09:51	3,200.8	BLR
Copper, Total	ND		mg/l	0.00100	0.00038	1	07/21/25 07:49	07/22/25 09:51	3,200.8	BLR
Iron, Total	ND		mg/l	0.05000	0.01910	1	07/21/25 07:49	07/22/25 09:51	3,200.8	BLR
Lead, Total	ND		mg/l	0.00100	0.00034	1	07/21/25 07:49	07/22/25 09:51	3,200.8	BLR
Nickel, Total	ND		mg/l	0.00200	0.00055	1	07/21/25 07:49	07/22/25 09:51	3,200.8	BLR
Zinc, Total	ND		mg/l	0.00500	0.00341	1	07/21/25 07:49	07/22/25 09:51	3,200.8	BLR

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness (by calculation) - Mansfield Lab for sample(s): 01-04 Batch: WG2092907-1										
Hardness	ND		mg/l	0.5400	NA	1	07/21/25 07:49	07/22/25 09:51	3,200.8	BLR

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab for sample(s): 01-04 Batch: WG2092931-1										
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	07/21/25 09:52	07/22/25 08:40	3,200.8	BLR
Nickel, Dissolved	ND		mg/l	0.0020	0.0006	1	07/21/25 09:52	07/22/25 08:40	3,200.8	BLR

### Prep Information

Digestion Method: EPA 3005A



# **Lab Control Sample Analysis** **Batch Quality Control**

**Project Name:** SPS TECHNOLOGIES

**Project Number:** 658978

**Lab Number:** L2545385

**Report Date:** 07/22/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG2092907-2								
Aluminum, Total	101		-		85-115	-		
Chromium, Total	104		-		85-115	-		
Copper, Total	102		-		85-115	-		
Iron, Total	103		-		85-115	-		
Lead, Total	101		-		85-115	-		
Nickel, Total	104		-		85-115	-		
Zinc, Total	106		-		85-115	-		
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-04 Batch: WG2092907-2								
Hardness	100		-		85-115	-		
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG2092931-2								
Chromium, Dissolved	106		-		85-115	-		
Nickel, Dissolved	107		-		85-115	-		

# **Matrix Spike Analysis** **Batch Quality Control**

**Project Name:** SPS TECHNOLOGIES

**Project Number:** 658978

**Lab Number:** L2545385

**Report Date:** 07/22/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2092907-3 QC Sample: L2545385-01 Client ID: OF002-072025												
Aluminum, Total	0.1484	2	2.245	105		-	-		70-130	-		20
Chromium, Total	0.00294	0.2	0.2119	104		-	-		70-130	-		20
Copper, Total	0.01766	0.25	0.2816	106		-	-		70-130	-		20
Iron, Total	0.8976	1	2.017	112		-	-		70-130	-		20
Lead, Total	0.00581	0.53	0.5593	104		-	-		70-130	-		20
Nickel, Total	0.00950	0.5	0.5369	105		-	-		70-130	-		20
Zinc, Total	0.05054	0.5	0.5972	109		-	-		70-130	-		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2092907-3 QC Sample: L2545385-01 Client ID: OF002-072025												
Hardness	110.8	66.2	185.3	113		-	-		70-130	-		20
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2092907-5 WG2092907-6 QC Sample: L2545385-02 Client ID: OF006-072025												
Aluminum, Total	0.03320	2	2.046	101		2.074	102		70-130	1		20
Chromium, Total	0.00021J	0.2	0.2027	101		0.2022	101		70-130	0		20
Copper, Total	0.00285	0.25	0.2532	100		0.2593	102		70-130	2		20
Iron, Total	0.09836	1	1.134	104		1.135	104		70-130	0		20
Lead, Total	0.00040J	0.53	0.5244	99		0.5402	102		70-130	3		20
Nickel, Total	0.00152J	0.5	0.5053	101		0.5130	103		70-130	2		20
Zinc, Total	0.01680	0.5	0.5329	103		0.5418	105		70-130	2		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2092907-5 WG2092907-6 QC Sample: L2545385-02 Client ID: OF006-072025												
Hardness	159.8	66.2	219.4	90		218.8	89		70-130	0		20

# Matrix Spike Analysis

## Batch Quality Control

**Project Name:** SPS TECHNOLOGIES

**Project Number:** 658978

**Lab Number:** L2545385

**Report Date:** 07/22/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2092931-3 WG2092931-4 QC Sample: L2545385-02 Client ID: OF006-072025									
Chromium, Dissolved	0.0002J	0.2	0.2168	108	0.2069	103	70-130	5	20
Nickel, Dissolved	0.0016J	0.5	0.5464	109	0.5157	103	70-130	6	20



# Lab Duplicate Analysis

*Batch Quality Control*

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2092907-4 QC Sample: L2545385-01 Client ID: OF002-072025						
Aluminum, Total	0.1484	0.1483	mg/l	0		20
Chromium, Total	0.00294	0.00293	mg/l	0		20
Copper, Total	0.01766	0.01767	mg/l	0		20
Iron, Total	0.8976	0.9106	mg/l	1		20
Lead, Total	0.00581	0.00584	mg/l	0		20
Nickel, Total	0.00950	0.00964	mg/l	2		20
Zinc, Total	0.05054	0.05074	mg/l	0		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2092907-4 QC Sample: L2545385-01 Client ID: OF002-072025						
Hardness	110.8	111.5	mg/l	1		20

# **INORGANICS & MISCELLANEOUS**

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

### SAMPLE RESULTS

**Lab ID:** L2545385-01  
**Client ID:** OF002-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 09:15  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	07/21/25 08:48	121,2540D	AMM
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	07/22/25 16:25	121,4500CN-E(M)	MRM
Nitrogen, Nitrate/Nitrite	0.50		mg/l	0.10	0.046	1	-	07/22/25 06:36	44,353.2	KAF
Chemical Oxygen Demand	55.		mg/l	20	6.0	1	07/21/25 10:30	07/21/25 13:26	44,410.4	MRW
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	07/21/25 06:15	07/21/25 11:11	140,1664B	TPR
Chromium, Hexavalent	0.004	J	mg/l	0.010	0.003	1	07/21/25 04:30	07/21/25 04:51	121,3500CR-B	KAF



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

### SAMPLE RESULTS

**Lab ID:** L2545385-02  
**Client ID:** OF006-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 11:15  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	07/21/25 08:48	121,2540D	AMM
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	07/22/25 16:25	121,4500CN-E(M)	MRM
Nitrogen, Nitrate/Nitrite	3.1		mg/l	0.10	0.046	1	-	07/22/25 06:41	44,353.2	KAF
Chemical Oxygen Demand	22.		mg/l	20	6.0	1	07/21/25 10:30	07/21/25 13:26	44,410.4	MRW
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	07/21/25 06:15	07/21/25 08:13	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	07/21/25 04:30	07/21/25 04:51	121,3500CR-B	KAF



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

### SAMPLE RESULTS

**Lab ID:** L2545385-03  
**Client ID:** OF009-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 10:30  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	11.		mg/l	5.0	NA	1	-	07/21/25 08:48	121,2540D	AMM
Cyanide, Free	0.007	J	mg/l	0.010	0.003	1	-	07/22/25 16:25	121,4500CN-E(M)	MRM
Nitrogen, Nitrate/Nitrite	0.39		mg/l	0.10	0.046	1	-	07/22/25 06:45	44,353.2	KAF
Chemical Oxygen Demand	57.		mg/l	20	6.0	1	07/21/25 10:30	07/21/25 13:27	44,410.4	MRW
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	07/21/25 06:15	07/21/25 11:13	140,1664B	TPR
Chromium, Hexavalent	0.004	J	mg/l	0.010	0.003	1	07/21/25 04:30	07/21/25 04:53	121,3500CR-B	KAF



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

### SAMPLE RESULTS

**Lab ID:** L2545385-04  
**Client ID:** DUP-072025  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 07/20/25 00:00  
**Date Received:** 07/20/25  
**Field Prep:** Refer to COC

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	07/21/25 08:48	121,2540D	AMM
Cyanide, Free	0.004	J	mg/l	0.010	0.003	1	-	07/22/25 16:25	121,4500CN-E(M)	MRM
Nitrogen, Nitrate/Nitrite	0.54		mg/l	0.10	0.046	1	-	07/22/25 06:46	44,353.2	KAF
Chemical Oxygen Demand	55.		mg/l	20	6.0	1	07/21/25 10:30	07/21/25 13:27	44,410.4	MRW
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	07/21/25 06:15	07/21/25 11:14	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	07/21/25 04:30	07/21/25 04:54	121,3500CR-B	KAF



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2092862-1										
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	07/21/25 04:30	07/21/25 04:49	121,3500CR-B	KAF
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2092874-1										
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	07/21/25 06:15	07/21/25 08:07	140,1664B	TPR
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2092962-1										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	07/21/25 08:48	121,2540D	AMM
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2092980-1										
Chemical Oxygen Demand	ND		mg/l	20	6.0	1	07/21/25 10:30	07/21/25 13:24	44,410.4	MRW
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2093311-1										
Nitrogen, Nitrate/Nitrite	ND		mg/l	0.10	0.046	1	-	07/22/25 06:13	44,353.2	KAF
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2093742-1										
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	07/22/25 16:25	121,4500CN-E(M)	MRM



# **Lab Control Sample Analysis** **Batch Quality Control**

**Project Name:** SPS TECHNOLOGIES

**Project Number:** 658978

**Lab Number:** L2545385

**Report Date:** 07/22/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2092862-2								
Chromium, Hexavalent	102		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2092874-2								
Oil & Grease, Hem-Grav	99		-		78-114	-		18
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2092962-2								
Solids, Total Suspended	88		-		80-120	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2092980-2								
Chemical Oxygen Demand	104		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2093311-2								
Nitrogen, Nitrate/Nitrite	98		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2093742-2								
Cyanide, Free	90		-		90-110	-		



# **Matrix Spike Analysis** **Batch Quality Control**

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2092862-4 WG2092862-5 QC Sample: L2545385-02 Client ID: OF006-072025												
Chromium, Hexavalent	ND	0.1	0.099	99		0.099	99		85-115	0		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2092874-4 WG2092874-5 QC Sample: L2545385-02 Client ID: OF006-072025												
Oil & Grease, Hem-Grav	ND	39.2	39	99		40	101		78-114	2		18
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2092980-4 QC Sample: L2545385-02 Client ID: OF006-072025												
Chemical Oxygen Demand	22.	238	270	104		-	-		90-110	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2093311-4 QC Sample: L2543920-01 Client ID: MS Sample												
Nitrogen, Nitrate/Nitrite	ND	4	4.0	100		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2093311-6 QC Sample: L2545385-02 Client ID: OF006-072025												
Nitrogen, Nitrate/Nitrite	3.1	4	6.9	95		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2093742-4 WG2093742-5 QC Sample: L2545385-02 Client ID: OF006-072025												
Cyanide, Free	ND	0.25	0.298	119		0.300	120		80-120	1		20

## Lab Duplicate Analysis

*Batch Quality Control*

**Project Name:** SPS TECHNOLOGIES

**Project Number:** 658978

**Lab Number:** L2545385

**Report Date:** 07/22/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2092862-3	QC Sample: L2545385-02	Client ID: OF006-072025		
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2092874-3	QC Sample: L2545385-02	Client ID: OF006-072025		
Oil & Grease, Hem-Grav	ND	ND	mg/l	NC		18
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2092962-3	QC Sample: L2545385-02	Client ID: OF006-072025		
Solids, Total Suspended	ND	ND	mg/l	NC		32
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2092980-3	QC Sample: L2545385-02	Client ID: OF006-072025		
Chemical Oxygen Demand	22.	19.J	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2093311-3	QC Sample: L2543920-01	Client ID: DUP Sample		
Nitrogen, Nitrate/Nitrite	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2093311-5	QC Sample: L2545385-02	Client ID: OF006-072025		
Nitrogen, Nitrate/Nitrite	3.1	3.1	mg/l	0		20
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG2093742-3	QC Sample: L2545385-02	Client ID: OF006-072025		
Cyanide, Free	ND	0.004J	mg/l	NC		20

**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2545385**Project Number:** 658978**Report Date:** 07/22/25**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information**

<b>Cooler</b>	<b>Custody Seal</b>
A	Absent
B	Absent
C	Absent

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2545385-01A	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-01B	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-01C	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-01D	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		CR-2008S(180),NI-2008S(180)
L2545385-01E	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDT-2008(180),FE-2008T(180),CR-2008T(180),PB-2008T(180)
L2545385-01F	Plastic 250ml H2SO4 preserved	NA	<2	<2		Y	Absent		NO3/NO2-353(28),COD-410(28)
L2545385-01G	Plastic 250ml NaOH preserved	NA	>12	>12		Y	Absent		TCN-4500(14)
L2545385-01H	Plastic 950ml unpreserved	NA	NA			Y	Absent		HEXCR-3500(1),FCN(1)
L2545385-01J	Plastic 950ml unpreserved	NA	NA			Y	Absent		TSS-2540(7)
L2545385-01K	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-01L	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-02A	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-02A1	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-02A2	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-02B	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-02B1	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-02B2	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-02C	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-02C1	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)

**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2545385**Project Number:** 658978**Report Date:** 07/22/25**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2545385-02C2	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-02D	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		CR-2008S(180),NI-2008S(180)
L2545385-02D1	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		CR-2008S(180),NI-2008S(180)
L2545385-02D2	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		CR-2008S(180),NI-2008S(180)
L2545385-02E	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDT-2008(180),FE-2008T(180),CR-2008T(180),PB-2008T(180)
L2545385-02E1	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDT-2008(180),FE-2008T(180),CR-2008T(180),PB-2008T(180)
L2545385-02E2	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDT-2008(180),FE-2008T(180),CR-2008T(180),PB-2008T(180)
L2545385-02F	Plastic 250ml H2SO4 preserved	NA	<2	<2		Y	Absent		NO3/NO2-353(28),COD-410(28)
L2545385-02F1	Plastic 250ml H2SO4 preserved	NA	<2	<2		Y	Absent		NO3/NO2-353(28),COD-410(28)
L2545385-02F2	Plastic 250ml H2SO4 preserved	NA	<2	<2		Y	Absent		NO3/NO2-353(28),COD-410(28)
L2545385-02G	Plastic 250ml NaOH preserved	NA	>12	>12		Y	Absent		TCN-4500(14)
L2545385-02G1	Plastic 250ml NaOH preserved	NA	>12	>12		Y	Absent		TCN-4500(14)
L2545385-02G2	Plastic 250ml NaOH preserved	NA	>12	>12		Y	Absent		TCN-4500(14)
L2545385-02H	Plastic 950ml unpreserved	NA	NA			Y	Absent		HEXCR-3500(1),FCN(1)
L2545385-02H1	Plastic 950ml unpreserved	NA	NA			Y	Absent		HEXCR-3500(1),FCN(1)
L2545385-02H2	Plastic 950ml unpreserved	NA	NA			Y	Absent		HEXCR-3500(1),FCN(1)
L2545385-02J	Plastic 950ml unpreserved	NA	NA			Y	Absent		TSS-2540(7)
L2545385-02J1	Plastic 950ml unpreserved	NA	NA			Y	Absent		TSS-2540(7)
L2545385-02J2	Plastic 950ml unpreserved	NA	NA			Y	Absent		TSS-2540(7)
L2545385-02K	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-02K1	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-02K2	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-02L	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-02L1	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

Serial\_No:07222519:04  
**Lab Number:** L2545385  
**Report Date:** 07/22/25

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2545385-02L2	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-03A	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-03B	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-03C	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-03D	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		CR-2008S(180),NI-2008S(180)
L2545385-03E	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDT-2008(180),FE-2008T(180),PB-2008T(180),CR-2008T(180)
L2545385-03F	Plastic 250ml H2SO4 preserved	NA	<2	<2		Y	Absent		NO3/NO2-353(28),COD-410(28)
L2545385-03G	Plastic 250ml NaOH preserved	NA	>12	>12		Y	Absent		TCN-4500(14)
L2545385-03H	Plastic 950ml unpreserved	NA	NA			Y	Absent		HEXCR-3500(1),FCN(1)
L2545385-03J	Plastic 950ml unpreserved	NA	NA			Y	Absent		TSS-2540(7)
L2545385-03K	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-03L	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-04A	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-04B	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-04C	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-04D	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		CR-2008S(180),NI-2008S(180)
L2545385-04E	Plastic 250ml HNO3 preserved	NA	<2	<2		Y	Absent		AL-2008T(180),NI-2008T(180),ZN-2008T(180),HARDT-2008(180),CU-2008T(180),FE-2008T(180),CR-2008T(180),PB-2008T(180)
L2545385-04F	Plastic 250ml H2SO4 preserved	NA	<2	<2		Y	Absent		NO3/NO2-353(28),COD-410(28)
L2545385-04G	Plastic 250ml NaOH preserved	NA	>12	>12		Y	Absent		TCN-4500(14)
L2545385-04H	Plastic 950ml unpreserved	NA	NA			Y	Absent		HEXCR-3500(1),FCN(1)
L2545385-04J	Plastic 950ml unpreserved	NA	NA			Y	Absent		TSS-2540(7)
L2545385-04K	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-04L	Amber 1L HCl preserved	NA	NA			Y	Absent		OG-1664(28)
L2545385-05A	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)
L2545385-05B	Vial Na2S2O3 preserved	NA	NA			Y	Absent		624.1-PPM(7)

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

Serial\_No:07222519:04  
**Lab Number:** L2545385  
**Report Date:** 07/22/25

**Container Information**

**Container ID    Container Type**

<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
---------------	-----------------------	---------------------	-----------------------	-------------	-------------	-----------------------------	--------------------

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

*Report Format: DU Report with 'J' Qualifiers*



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Chlordane:** The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Gasoline Range Organics (GRO):** Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PAH Total:** With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

**Report Format:** DU Report with 'J' Qualifiers





**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

#### Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** 658978

**Lab Number:** L2545385  
**Report Date:** 07/22/25

## REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 44 Methods for the Determination of Inorganic Substances in Environmental Samples, EPA/600/R-93/100, August 1993.
- 107 Calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.
- 140 Method 1664, Revision B: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-10-001, February 2010.

## LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at its own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



**Pace Analytical Services LLC**

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 1 of 2

**Certification Information**

The following analytes are not included in our Primary NELAP Scope of Accreditation:

**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581****EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**MADEP-APH.****Nonpotable Water:** EPA RSK-175 Dissolved Gases**Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Nonpotable Water:** EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).**Microbiology:** SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg. EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

**Pace Analytical Services LLC**ID No.: **17873**Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

**Certification IDs:****Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**

CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048**

ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

---

For a complete listing of analytes and methods, please contact your Project Manager.



# CHAIN OF CUSTODY

PAGE 1 OF 1

## Project Information

Westborough, MA    Mansfield, MA  
 TEL: 508-898-9220    TEL: 508-822-9300  
 FAX: 508-898-9193    FAX: 508-822-3288

Project Name: SPS Technologies

## Client Information

Client: TRC Environmental Corporation  
 Address: 1617 John F. Kennedy Blvd.  
 Suite 510, Philadelphia, PA 19103  
 Phone: 267-679-6728

Project Location: Jenkintown, PA

Project #: 658978

Project Manager: Julie Acton

ALPHA Quote #:

## Turn-Around Time

Fax: 215-563-2339

☐ Standard☒ Rush (ONLY IF PRE-APPROVED)

Email: JActon@trccompanies.com

☐ These samples have been Previously analyzed by Alpha

Due Date:

Time: 1-Day

Other Project Specific Requirements/Comments/Detection Limits:

\*Attorney-Client Privileged & Confidential\*  
 All VOAs in 1 Cooler

Dissolved Metals - Field Filtered

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	ANALYSIS														SAMPLE HANDLING Filtration <input checked="" type="checkbox"/> Done <input type="checkbox"/> Not Needed <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please specify below)	TOTAL # BOTTLES
		Date	Time			Oil and Grease E1664B	Free Cyanide SM4500CN-E(M)	Total Cyanide SM4500CN-CE	Speciated Hex Chrome SM3500-CrB	Total Chromium, Nickel E200.8	Dissolved Chromium, Nickel E200.8	Total Al, Fe, Pb, Zn, Cu E200.8	Chemical Oxygen Demand E410.4	MEK, Toluene E624.1	Nitrate-Nitrite as N E353.2	Total Hardness E200.8	Total Suspended Solids SM 2540 D				
45385-01	OF002-072025	7/20/25	0915	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		11	
	OF004			SW		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
-02	OF006-072025	7/20/25	1115	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Perfor M3/MSD	33		
-03	OF009-072025	7/20/25	1030	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		11		
-04	DUP-072025	7/20/25	0000	SW	JS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		11		
-05	TRIP BLANK-072025	7/19/25	—	W	—	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		2		
	SE			SW		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
	SE			SW		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
						Container Type	A	P	P	P	P	P	P	P	V	P	P	P	Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.		
						Preservative	B	A	E	A	C	A	C	-	H	-	-	-			
Relinquished By:						Date/Time		Received By:		Date/Time											
James Sculjes (TRC)						7/20/25 1200		Nelson		7-20-25 1200											
Nelson						7-20-25 1410		WIFI Pace		7/20/25 1415											
WIFI Pace						7/20/25 1830		lyt		7/20/25 1830											



## Sample Delivery Group Summary

Pace Job Number : L2545385

Received : 20-JUL-2025

Account Name : TRC Environmental

Reviewer : Kylie Morse

Project Number : 658978

Project Name : SPS TECHNOLOGIES

### Delivery Information

Samples Delivered By : Pace Courier

Chain of Custody : Present

### Cooler Information

Cooler	Seal/Seal#	Preservation	Temperature(°C)	Additional Information
A	Absent/	Ice	2.8	
B	Absent/	Ice	5.8	
C	Absent/	Ice	4.6	

### Condition Information

1) All samples on COC received?	YES
2) Extra samples received?	NO
3) Are there any sample container discrepancies?	NO
4) Are there any discrepancies between COC & sample labels?	NO
5) Are samples in appropriate containers for requested analysis?	YES
6) Are samples properly preserved for requested analysis?	YES
7) Are samples within holding time for requested analysis?	YES
8) All sampling equipment returned?	NA

### Volatile Organics/VPH

1) Reagent Water Vials Frozen by Client?	NO
--	----

#### **4.0 DATA QUALITY ASSURANCE/QUALITY CONTROL MANAGEMENT**

##### **4.1 Field Quality Assurance/Quality Control Requirements.**

Field personnel performed data quality control (QC) verification of field measurements. This process includes equipment calibration, reviewing calibration records, and duplicate readings to ensure data accuracy. Field measurements were documented in the field information form included as **Appendix A** and pH readings are summarized in **Table 1**.

All hand equipment used during the sampling event was cleaned with Alconox and distilled water. Disposable equipment was used for sample collection and processing as appropriate. Field personnel wore disposable nitrile sampling gloves during sampling activities. Sampling gloves were discarded following collection at each sample location and replaced before handling decontaminated equipment or work surfaces.

##### **4.2 Analytical QA/QC Samples**

All quality assurance and quality control (QA/QC), field duplicates and matrix spikes/matrix spike duplicates (MS/MSD) were collected in accordance with the Sampling Plan at a rate of 1 per 20 samples per day. A trip blank was included daily for volatile organic compounds (VOCs). A field blank was not collected because single-use disposable ladles were used to collect samples.

##### **4.3 Data Evaluation**

The reliability of the analytical data was evaluated to assess its suitability for use in off-Site surface water monitoring. In particular, the data's precision, accuracy, and sensitivity were evaluated based on field sampling documentation, adherence to sample holding times, and analysis of the QC samples (duplicates, spikes, and blanks). Data validation was performed in accordance with the Sampling Plan. The data validation report is included as **Appendix B**. The laboratory analytical report is included as **Appendix C**.

##### **4.4 References**

- SPS Technologies Surface Water and Outfall Sampling Plan, revised on March 25, 2025